#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

## (19) World Intellectual Property Organization International Bureau





(43) International Publication Date 30 October 2003 (30.10.2003)

**PCT** 

## (10) International Publication Number WO 03/089935 A1

(51) International Patent Classification7:

ICI

- (21) International Application Number: PCT/KR02/01975
- (22) International Filing Date: 22 October 2002 (22.10.2002)
- (25) Filing Language:

Korean

G01N 33/68

(26) Publication Language:

English

(30) Priority Data: 2002/21488

19 April 2002 (19.04.2002) KR

- (71) Applicant (for all designated States except US): REGEN BIOTECH, INC. [KR/KR]; C9231 KIST, 39-1 Hawolgokdong, Sungbuk-ku, Seoul 136-791 (KR).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): KIM, In-San [KR/KR]; #106-908 Dongsu Town, 1040 Maeho-dong, Soosung-ku, Taegu 706-140 (KR). BAE, Jong-Sub [KR/KR]; #1940-2 Songhyeon 1-dong, Dalseo-ku, Taegu 704-824 (KR).


- (74) Agent: LEE, Won-Hee; 8th Fl., Sung-ji Heights II, 642-16, Yoksam-dong, Kangnam-ku, Seoul 135-080 (KR).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: THE METHOD FOR MEASURING THE AMOUNT OF  $\beta iG\textsc{-}H3$  Protein and Diagnostic Kit using the Same



(57) Abstract: The present invention relates to the method for measuring the amount of  $\beta$  ig-h3 protein and diagnostic kit using the same. Particularly, it relates to the method for measuring the amount of  $\beta$  ig-h3 protein in the body fluids by specific binding reaction between  $\beta$  ig-h3 protein or recombinant proteins of fas-1 domain in the  $\beta$  ig-h3 protein (including their fragments or their derivatives) and their ligands and relates to diagnostic kit for the renal diseases, hepatic diseases, rheumatoid arthritis or cardiovascular diseases comprising  $\beta$  ig-h3 protein or recombinant proteins of fas-1 domain in the  $\beta$  ig-h3 protein (including their fragments or their derivatives) and their ligands. The method and kit of the present invention can be effectively used as sensitive diagnostic method for the extent of damage or progress of the renal diseases, hepatic diseases, rheumatoid arthritis or cardiovascular diseases.



/089935 A1

# THE METHOD FOR MEASURING THE AMOUNT OF $\beta$ ig-h3 PROTEIN AND DIAGNOSTIC KIT USING THE SAME

#### FIELD OF THE INVENTION

5

10

15

The present invention relates to a method for measuring the amount of  $\beta$  ig-h3 protein and diagnostic kit using the same. Particularly, it relates to a method for measuring the amount of  $\beta$  ig-h3 protein in the body fluids by specific binding reaction between  $\beta$  ig-h3 protein or recombinant proteins of fas-1 domain in the  $\beta$  ig-h3 protein (including their fragments or their derivatives) and their ligands and relates to diagnostic kit for the renal diseases, hepatic diseases, rheumatoid arthritis or cardiovascular diseases comprising  $\beta$  ig-h3 protein or recombinant proteins of fas-1 domain in the  $\beta$  ig-h3 protein (including their fragments or their derivatives) and their ligands.

### BACKGROUND ART OF THE INVENTION

 $\beta$  ig-h3 is an extracellular matrix protein induced by TGF- $\beta$  in many kinds of cells including human melanoma cells, mammary ephithelial cells, keratinocytes and lung fibroblasts. TGF- $\beta$  (transforming growth factor- $\beta$ ) is involved in the

growth and differentiation of many kinds of cells and the mammals have three kinds of TGF- $\beta$  (TGF- $\beta$  1, TGF- $\beta$  2 and  $TGF-\beta$  3). The  $TGF-\beta$  has been known to have many sophisticated functions such as growth control, immune regulation, stimulating bone-formation, inducing cartilage specific macromolecule, stimulating the wounding healing, etc (Bennett, N.T. et al., Am. J. is expressed in TGF-β 165, 728). 1993, Surg. epithelial cells during wound-healing, probably order to stimulate the expression of integrin in keratinocytes during the regeneration of epithelial cells. Recent studies on TGF- $\beta$  expression disclosed that TGF- $\beta$  3 mRNA is expressed both in epithelia of normal skin and in epithelia under recovery from acute or chronic wounds while TGF- $\beta$  1 mRNA is expressed only in regenerated epithelia from acute wounds and TGF- $\beta$  2 mRNA is not expressed at all (Schmid, P. et al., J. Pathol., 1993, 171, 191). Though the concrete theory on the mechanism of the above has not been established is believed to play a key role TGF-B yet, regeneration of epithelia.

5

10

15

20

25

 $\beta$  ig-h3, a TGF- $\beta$  induced gene h3, was first found by Stonier et al. Precisely, the  $\beta$  ig-h3 was found during the search of cDNA library differential screening data from A549 cell line, a human lung

adenocarcinoma cell line treated with TGF- $\beta$  1 and it was reported that  $\beta$  ig-h3 was 20-fold increased 2 days after TGF- $\beta$  1 treatment (Stonier, J. et al., DNA cell Biol., 1992, 11, 511). It was also confirmed by DNA sequencing that  $\beta$  ig-h3 is composed of 683 amino acids represented by SEQ. ID. No 1 having amino-terminal secretory sequence and carboxy-terminal Arg-Gly-Asp(RGD) enabling ligand recognition against some integrins.

5

10

15

20

25

 $\beta$  ig-h3 contains 4 homogeneous internal repeated domains along with RGD motif, which are observed in membrane proteins or secretory proteins of mammals, insects, sea urchin, plants, yeasts and bacteria, etc in a state of well-preserved sequence. Proteins such as periostin, fasciclin I, sea urchin HLC-2, algal-CAM also contain the mycobacterium MPB70 preservative sequence (Kawamoto, T. et al., Biochem. Biophys. Acta., 1998, 1395, 288). The homogeneous hereinafter) "fas-1 domain" domain (referred as preserved well in those proteins is composed of 110 -140 amino acids containing two very preservative branches (H1 and H2) composed of 10 amino acids each.  $\beta$  ig-h3, periostin and fasciclin I have 4 fas-1 domains, HCL-2 has 2 and MPB70 has only 1 fas-1 domain. Some of those proteins, as cell adhesion molecules, are known to intermediate the attachment and the detachment of

cells although the biological functions of those proteins are not been fully explained yet. For example, β ig-h3, periostin and fasciclin I intervene the attachment of fibroblasts, osteoblasts and nerve cells, respectively and algal-CAM is confirmed to be a cell adhesion molecule residing in embryos of volvox (LeBaron, R. G. et al., J. Invest. Dermatol., 104, 844, 1995; Horiuchi, K. et al., J. Bone Miner. Res., 1999, 14, 1239; Huber, O. et al., EMBO J., 1994, 13, 4212).

10

15

20

25

5

A purified  $\beta$  ig-h3 protein stimulates adhesion and spread of fibroblasts of skin but obstructs adhesion of A549, HeLa and WI-38 cells in serum-free medium. Especially, the  $\beta$  ig-h3 obstructs tumor cell growth, colony formation and appearance. In fact, tumor cell growth in nude mouse prepared by transfecting Chinase hamster ovary cells with  $\beta$  ig-h3 expression vector was remarkably decreased, which was clearly stated in US patent #5,714,588 and #5,599,788. In addition, a and adhesion of stimulating spread for method fibroblasts around the wounded area by contacting required amount of  $\beta$  ig-h3 with the wound was also stated in those patents. Therefore, as a cell adhesion molecule highly induced by TGF- $\beta$  in many cells,  $\beta$  ig-h3 role in cell growth, cell important plays differention, wound healing, morphogenesis and cell

adhesion.

5

10

15

20

25

Although  $\beta$  ig-h3 is an effective useful material, it is not fully supplied since only the minimum  $\beta$  ig-h3 is generated in human body. In order to solve this problem, a method to prepare  $\beta$  ig-h3 by expressing it in eukaryotic cell system using genetic engineering was developed. In that case, though, the growth of cells producing  $\beta$  ig-h3 was much slower than that of other cells, resulting in difficulty in obtaining enough amount of  $\beta$  ig-h3 producing cells. Therefore, the present inventors established a purification method with which mass-expression of recombinant proteins containing whole  $\beta$  ig-h3 protein or some of its domains was possible using E.coli as a host, confirmed that those recombinant proteins supported cell adhesion and and applied for a patent (Korea patent spread, Application #2000-25664).

Cell adhesion activity of  $\beta$  ig-h3, a cell adhesion human dermal reported in first was molecule, chondrocytes, in then disclosed fibroblasts and peritoneal fibroblasts and human MRC5 fibroblasts as well. Cell adhesion activity of  $\beta$  ig-h3 was thought to be mediated by RGD motif residing in carboxyl terminal of  $\beta$  ig-h3 in the early days. But it was reported

5

10

15

20

25

later that RGD motif was not required for stimulating the spread of chondrocytes and a mature  $\beta$  ig-h3 in which RGD motif was deficient by carboxyl-terminus processing could hinder cell adhesion. Resultingly, it was confirmed that RGD motif was not an indispensable mediator for cell adhesion activity of  $\beta$  ig-h3. Recent studies have further confirmed that  $\beta$  ig-h3 stimulates cell adhesion and spread, especially the spread of a 18 1 with integrin working fibroblasts, by independently while RGD motif of  $\beta$  ig-h3 is required for cell spread mediated by  $\beta$  ig-h3 (Ohno, S., et al., Biochim. Biophys. Acta, 1999, 1451, 196). Besides, H1 and H2 peptides stored in  $\beta$  ig-h3 have been confirmed not to affect  $\beta$  ig-h3-mediated cell adhesion, suggesting that certain amino acid required for cell adhesion locates not in H1 and H2 but in other sites in  $\beta$  ig-h3. In order to support the above, the homology between repeated fas-1 domain of  $\beta$  ig-h3 and fas-1 domains of other proteins was analyzed by computer, resulting in the confirmation of the fact that there were many other preservative amino acids except H1 and H2 in  $\beta$  ig-h3 that participated in cell adhesion.

Therefore, the present inventors tried to find out a preservative motif participating in cell adhesion and detachment activity, and to prepare a peptide containing thereof. As a result, the present inventors

have prepared peptides NKDIL, EPDIM and their derivatives mediating cell adhesion and detachment by working with a 3 $\beta$ 1 integrin using the second and the forth domains of  $\beta$  ig-h3 which is known as a cell adhesion molecule and have disclosed that two very preservative amino acids, aspartic acid (Asp) and isoleucine (Ile) which are located near H2 region in the second and the forth domains of  $\beta$  ig-h3, are required amino acids for cell adhesion and detachment activity, leading to the application for a patent (Korea Patent Application #2000-25665).

5

10

15

20

25

As of today, there was no report that  $\beta$  ig-h3 directly relates to diseases but  $\beta$  ig-h3 seems to be related with some human cancers. The relation of  $\beta$  ig-h3 expression with the progress of renal diseases, hepatic diseases, rheumatoid arthritis and cardiovascular diseases has not been explained yet and the possibility to take advantage of  $\beta$  ig-h3 protein for a diagnosis of the diseases by measuring the amount of  $\beta$  ig-h3 protein in body fluids has not been reported either.

Thus, the present inventors developed a method to measure the amount of  $\beta$  ig-h3 using the recombinant protein prepared by linking many  $\beta$  ig-h3 or the forth

fas-1 domain of  $\beta$  ig-h3 together as a standard protein and a diagnostic kit using the same. The present inventors completed this invention by confirming that the method and the kit of the present invention can be effectively used as sensitive diagnostic method for the extent of damage or progress of the renal diseases, hepatic diseases, rheumatoid arthritis or cardiovascular diseases.

#### 10 SUMMARY OF THE INVENTION

5

15

It is an object of the present invention to provide a method to measure the amount of  $\beta$  ig-h3 protein using the  $\beta$  ig-h3 protein or recombinant proteins including fas-1 domains of  $\beta$  ig-h3 and a diagnostic kit using the same.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a diagram showing the structure of  $\boldsymbol{\beta}$  ighas recombinant protein,

- 20 I, II, III and IV: each domain,
  - oxtimes and oxtimes: base sequence preservative area
  - A ;  $\beta$  ig-h3, B ; human  $\beta$  ig-h3, C ; mouse  $\beta$  ig-h3
  - FIG. 2 is a diagram showing the geometrical

structure of  $\beta$  ig-h3 D-IV recombinant proteins prepared by repeating  $\beta$  ig-h3 IV domains,

A;  $\beta$  ig-h3, B;  $\beta$  ig-h3 D-IV(1x),

C;  $\beta$  ig-h3 D-IV(2x),

D;  $\beta$  ig-h3 D-IV(3x), E;  $\beta$  ig-h3 D-IV(4x)

FIG. 3 is an electrophoresis photograph of separated  $\beta$  ig-h3 recombinant protein,

1; human  $\beta$  ig-h3, 2; mouse  $\beta$  ig-h3

10

5

FIG. 4 is an electrophoresis photograph of  $\beta$  ig-h3 D-IV (1x, 2x, 3x, 4x) proteins,

1;  $\beta$  ig-h3 D-IV(1x), 2;  $\beta$  ig-h3 D-IV(2x),

3 ;  $\beta$  ig-h3 D-IV(3x), 4 ;  $\beta$  ig-h3 D-IV(4x)

15

FIG. 5 is a photograph showing the result of Western blot using primary antibody, by which human  $\beta$  ig-h3 and mouse  $\beta$  ig-h3 were confirmed,

1; human  $\beta$  ig-h3, 2; mouse  $\beta$  ig-h3

20

FIG. 6 is a diagram showing the principle of enzyme-linked immunosorbent assay (ELISA),

FIG. 7 is a graph showing the quantitative ratios of the primary antibody,

◆ ; 1 : 200, ■ ; 1 : 400, ▲ ; 1 : 800,

FIG. 8 is a graph showing the quantitative ratios of the secondary antibody,

A ; fixed primary antibody at 1:1600,

B ; fixed primary antibody at 1:2000,

→ ; diluted secondary antibody at 1:1000,

■ ; diluted secondary antibody at 1:2000,

• ; diluted secondary antibody at 1:3000

10

15

20

5

FIG. 9 is a graph showing the coating concentration of human  $\beta$  ig-h3 protein,

 $\Rightarrow$  ; 0.5  $\mu$ g/m $\ell$ ,

 $\blacksquare$  ; 1.0  $\mu$ g/m $\ell$ 

FIG. 10 is a graph showing that both human  $\beta$  ig-h3 protein and mouse  $\beta$  ig-h3 protein can be used as standard proteins, which was confirmed by cross-test,

 $\spadesuit$  ; human  $\beta$  ig-h3 protein coating concentration 0.5  $\mu\text{g/ml}$  , primary anti-human  $\beta$  ig-h3 antibody 1:2000, secondary antibody 1:2000,

; human  $\beta$  ig-h3 protein coating concentration 0.5  $\mu\text{g/ml}$ , primary anti-mouse  $\beta$  ig-h3 antibody 1:2000, secondary antibody 1:2000,

, mouse  $\beta$  ig-h3 protein coating concentration 0.5  $\mu$ g/ml, primary anti-human  $\beta$  ig-h3 antibody 1:2000, secondary antibody 1:2000,

 $\times$  ; mouse  $\beta$  ig-h3 protein coating concentration 0.5  $\mu\text{g/ml}$  , primary anti-mouse  $\beta$  ig-h3 antibody 1:2000, secondary antibody 1:2000

- 5 FIG. 11 is a graph showing that recombinant  $\beta$  igham D-IV(1x) protein and recombinant  $\beta$  igham D-IV(4x) protein can be used as standard proteins, which was confirmed by cross-test,
- igoplus of A ; eta ig-h3 D-IV(1x) coating concentration 0.5  $\mu$ g/m $\ell$ , primary anti-human eta ig-h3 antibody 1:2000, secondary antibody 1:2000,
  - of A ;  $\beta$  ig-h3 D-IV(4x) coating concentration 0.5  $\mu$ g/m $\ell$ , primary anti-human  $\beta$  ig-h3 antibody 1:2000, secondary antibody 1:2000,
- 15  $\spadesuit$  of B ;  $\beta$  ig-h3 D-IV(1x) coating concentration 0.5  $\mu$ g/ml, primary anti-mouse  $\beta$  ig-h3 antibody 1:2000, secondary antibody 1:2000,

20

- of B ;  $\beta$  ig-h3 D-IV(4x) coating concentration 0.5  $\mu$ g/ml, primary anti-mouse  $\beta$  ig-h3 antibody 1:2000, secondary antibody 1:2000
  - FIG. 12 is a photograph of an immunohistochemical-staining showing the expression pattern of  $\beta$  ig-h3 in renal tissue,
- of A; expression pattern at basal membrane of S3 proximal tubular cell,

▶ of B ; expression pattern at basal membrane of Bowman's capsule of glomerulus,

ightarrow of B ; expression pattern at basal membrane of cortical thick ascending limb cell

5

- FIG. 13 is a graph showing the levels of  $\beta$  ig-h3 in urine of diabetes-induced rats,
- ; diabetes-induced rats by treatment of streptozotocin
  - FIG. 14 is a graph showing the individual level of  $\beta$  ig-h3 in urine of diabetes-induced rats of FIG. 13,
- 15 FIG. 15 is a graph showing the level of  $\beta$  ig-h3 in urine obtained from each a normal rat, a rat with nephron underdose, a rat with chronic rejection, a rat with recurrent GN and a rat showed CyA toxicity,
- $_{\rm FIG.}$  16 is a graph showing the different concentrations of  $\beta$  ig-h3 protein by the day that were measured with urine samples of patients who have been under the treatment of plasmapheresis since focal segmental glomerulosclerosis (FSGS) was re-developed after kidney transplantation,

FIG. 17 is a graph showing the concentrations of  $\beta$  ig-h3 protein in urine taken from a living donor, cadaver donor, a patient with underdose and rejection that were measured before and after kidney transplantation,

FIG. 18 is a photograph of an immunohistochemical-staining showing the expression pattern of  $\beta$  ig-h3 protein in the injured blood vessels of diabetes-induced mouse,

A ; normal blood vessels,

5

10

25

B ; injured blood vessels, L ; lumen

FIG. 19 is a graph showing the expression pattern of  $\beta$  ig-h3 protein in the culture of vascular smooth muscle cells,

\*; p<0.05, \*\*; p<0.01

### DETAILED DESCRIPTION OF THE INVENTION

20 To achieve the above object, the present invention provides a method for measuring the amount of  $\beta$  ig-h3 protein.

The present invention also provides a diagnostic kit for the renal diseases, hepatic diseases, rheumatoid arthritis or cardiovascular diseases using

the same.

5

10

15

Further features of the present invention will appear hereinafter.

The method for measuring the amount of  $\beta$  ig-h3 of the present invention consists of following steps:

- 1) Preparing  $\beta$  ig-h3 protein or recombinant proteins containing  $\beta$  ig-h3 fas-1 domain, their fragments or derivatives;
- 2) Preparing specific ligands against the above recombinant proteins, their fragments or derivatives of the above step 1; and
  - 3) Measuring the amount of  $\beta$  ig-h3 protein of samples with the method using binding reaction of ligands of the above step 2 with the recombinant proteins, their fragments or derivatives of the above step 1.

In the step 1, β ig-h3 protein is either a human β ig-h3 protein having amino acid sequence represented by SEQ. ID. No 3 or a mouse β ig-h3 protein having amino acid sequence represented by SEQ. ID. No 5. The structural elements of human and mouse β ig-h3 proteins are shown in FIG. 1. Hatched region and cross-hatched region of FIG. 1 show very well preserved sequences of repeated fas-1 domain I, II, III and IV and blank

region represents RGD motif.

5

10

15

20

25

 $\beta$  ig-h3 protein has 4 fas-1 domains. For the  $\beta$ ig-h3 fas-1 domain of the above step 1, it preferable to select one or more than two out of the first through the  $4^{\text{th}}$  fas-1 domain of  $\beta$  ig-h3 protein and is more preferable to use the  $4^{\rm th}$  fas-1 domain. The 4th fas-1 domain could be used either individually or as a recombinant protein in which many fas-1 domains are repeatedly linked. For the recombinant protein, 1 to 10 fas-1 domains are required to be combined and using 1 to 4 fas-1 domains is more preferred. In the preferred embodiments of the present invention, the present inventors provided examples of using the 4th fas-1 domain only and recombinant proteins prepared by linking two, three and 4 forth fas-1 domains of  $\beta$  ig-h3 respectively.

The present inventors prepared proteins each represented by SEQ. ID. No 7, No 8, No 9 and No 10 having one of the  $4^{th}$  fas-1 domains containing  $502^{nd}$  -  $632^{nd}$  amino acids of  $\beta$  ig-h3, two, three and four of those respectively and named them " $\beta$  ig-h3 D-IV(1x)", " $\beta$  ig-h3 D-IV(2x)", " $\beta$  ig-h3 D-IV(3x)" and " $\beta$  ig-h3 D-IV(4x)" (see FIG. 4).

Epitope of  $\beta$  ig-h3 protein at which specific binding reaction with ligand is occurring and any other part of the protein containing peptides hydrolyzed by

protein. Derivatives of the recombinant protein of the present invention can be prepared by covalent bond including phosphorylation or glycosylation, and non-covalent bond including ionic bond, coordinate bond, hydrogen bond, hydrophobic bond or van der Waals' bond. If fragments of the derivatives of the above recombinant proteins could be specifically bound to ligands, they would be included in the category of the proteins of the present invention.

For the preparation of the standard protein of the present invention, the construction of expression vector and the transformation could be performed by the conventional method.

15

20

25

5

10

In the step 2, ligands that are specifically binding to  $\beta$  ig-h3,  $\beta$  ig-h3 fas-1 domain, fragments or derivatives thereof can be confirmed by observing the binding reaction of ligands with the protein or recombinant protein of the step 1. There are many kinds of ligands such as antibody, RNA, DNA, organic compounds including lipid, protein or organic salts, or inorganic compounds including metal ions or inorganic salts, and preferable ligand is a primary antibody against  $\beta$  ig-h3 or  $\beta$  ig-h3 fas-1 domain of the step 2 made by using the protein or the recombinant protein

(fragments or derivatives included) of the step 1 as an antigen. The primary antibody can be prepared by the conventional method and monoclonal antibody or polyclonal antibody can be used.

5

10

15

20

25

In the step 3, the amount of  $\beta$  ig-h3 protein included in sample was measured using the specific binding reaction of ligand with  $\beta$  ig-h3 protein, its ligand-binding derivatives. Where orfragments reaction is occurring, even pieces of those fragments or derivatives can be used. Quantification assay using antigen-antibody binding reaction in which  $\beta$  ig-h3 protein is used as an antigen is preferably used. is more preferable to select one way from a group consisting of immunoblotting (Current Protocols in Molecular Biology, vol 2, chapter 10.8; David et al., (a Laboratory manual), vol 1, chapter immunoprecipitation (Current Protocols in Molecular Biology, vol 2, chapter 10.16; Cells (a Laboratory manual), vol 1, chapter 72), ELISA (Current Protocols in Molecular Biology, vol 2, chapter 11.2; ELISA Theory and Practice, John R. Crowther; The ELISA Guidebook, (Radioimmuno RIA R. Crowther), John assay) (Nuklearmedizin 1986 Aug ;25(4):125-127, Tumor markers as target substances in the radioimmunologic detection of malignancies. von Kleist S; Mariani G. Ann

Oncol 1999 ;10 Suppl 4:37-40), protein chip (Daniel. Figeys et.al, Electrophoresis 2001, 22, 208-216; Albala JS. Expert Rev Mol Diagn 2001 Jul;1 (2):145-152), rapid assay (Kasahara Y and Ashihara Y, Clinica Chimica Acta 267 (1997), 87-102; Korea Patent Application #2000-46639) or microarray (Vivian G. cheung et al, Nature genetics 1999, 21, 15-19; Robert J. Lipshutz et al, Nature genetics 1999, 21, 20-24; Christine Debouck and Peter N. Goodfellow, Nature genetics 1999, 21, 48-50; DNA Microarrays, M. Schena), and ELISA is the most preferable method. Mass-analysis of samples is also possible using biological microchip and automatic microarray system along with ELISA, and simple selfdiagnostic method using urine can be developed therefrom.

5

10

15

20

25

According to the preferable embodiments of the present invention, the method for measuring the amount of  $\beta$  ig-h3 protein with competition assay using ELISA comprises the following steps;

- 1) Coating  $\beta$  ig-h3 protein or recombinant protein containing  $\beta$  ig-h3 fas-1 domain, its fragments or derivatives to matrix;
- 2) Reacting antibody against the protein of the above step 1, its fragments or derivatives with sample;
  - 3) Adding the reactant of the above step 2 to the

coated protein of step 1 and waiting for reaction, and then washing thereof; and

4) Adding the secondary antibody to the reactant of the above step 3 for further reaction, and then measuring OD.

5

10

15

20

25

All kinds of matrix commonly used are good for the matrix of the above step 1 and especially, nitrocellulose membrane, polyvinyl plate (for example; 96 well plate), polystyrene plate and glass slide can be used as a matrix.

The secondary antibody of the above step 4 is labeled with coloring enzymes, fluorescent materials, luminous materials, radioisotopes or metal chelates. Every commonly used labeling materials are available for this invention and peroxidase, alkaline phosphatase, dehydrogenase, malate β -D-galactosidase, staphylococcus nuclease, horseradish peroxidase, catalse and acetylcholine esterase are preferable coloring enzymes. As for fluorescent materials, isothiochanate, phycobilin protein, fluorescein rhodamine, phycocythrin, phycocyanin, orthophthalic aldehyde, etc are preferably used.

As another labeling materials for the secondary antibody in addition to coloring enzymes or fluorescent materials, luminous materials such as isoluminol,

lucigenin, luminol, acridiniumester, imidasol, acridine salt, luciferin, luciferase and aequorin or radioisotopes such as <sup>125</sup>I, <sup>127</sup>I, <sup>131</sup>I, <sup>14</sup>C, <sup>3</sup>H, <sup>32</sup>P and <sup>35</sup>S are preferably used. Besides, micromolecular heptenes like biotine, dinitrophenyl, pyridoxil or fluoresamine can be also conjugated with antibody.

5

10

15

20

In the case of using coloring enzymes in step 4, coloring substrates should be used to measure the activity of the enzyme and every material that are able to develop color of the enzyme bound to the secondary antibody can be used as a coloring substrate. 4-chloro-1-naphtol (4CN), Diaminobenzidine (DAB), Aminoethyl carbazole (AEC), 2,2'-Azino-bis(3-ethylbenzothiazoline-6-sulfonic acid) (ABTS), O-Phenylenediamine (OPD) and Tetramethyl Benzidine (TMB) are preferably used as coloring substrates.

As for the samples of the above step 2, all kinds of body fluids of patients suffering from  $\beta$  ig-h3 related diseases can be used. Especially, urines, bloods or synovial fluids of patients suffering from renal diseases, hepatic diseases, rheumatoid arthritis or cardiovascular diseases are preferable.

In order to confirm whether the method for measuring the amount of  $\beta$  ig-h3 protein of the present invention is correct, the present inventors used

recombinant protein containing mouse  $\beta$  ig-h3 or the  $4^{th}$  fas-1 domain of  $\beta$  ig-h3 as a standard protein and compared the result with that from using human  $\beta$  ig-h3 as a standard protein.

The optimum coating concentration of human  $\beta$  ig-h3 protein and the quantitative ratio of antibody were determined for the method for measuring  $\beta$  ig-h3 of the present invention. The best quantitative ratio of the primary anti-human  $\beta$  ig-h3 antibody was 1:1600 and 1:2000 (see FIG. 7), and the best quantitative ratio of the secondary antibody was 1:2000 (see FIG. 8). The proper concentration of human  $\beta$  ig-h3 protein was 1.0  $\mu$ g /ml and 0.5  $\mu$ g/ml, but 0.5  $\mu$ g/ml was more preferable as coating concentration (see FIG. 9).

Therefore, the present inventors decided the optimum coating concentration of human  $\beta$  ig-h3 standard protein to be 0.5  $\mu g/m \ell$  and the best diluting ratio of the primary anti-human  $\beta$  ig-h3 antibody and the secondary antibody to be 1:2000, respectively.

20

25

5

10

15

The present inventors also determined protein concentration and the quantitative ratio of the primary antibody and the secondary antibody using mouse  $\beta$  ig-h3, recombinant  $\beta$  ig-h3 D-IV(1x), ig-h3 D-IV(2x), ig-h3 D-IV(3x) and  $\beta$  ig-h3 D-IV(4x). Precisely, made coating concentration of each protein at 0.5  $\mu$ g/ml, diluted the

primary anti-human  $\beta$  ig-h3 antibody and the secondary antibody at 1:2000 respectively and performed quantitative assay. Diluted the primary anti-mouse  $\beta$  ig-h3 antibody and the secondary antibody at 1:2000, and performed quantitative assay as well.

5

10

15

20

As a result, graphs with straight line were made for all the cases, suggesting the ratios were the best and the measuring range of them was between 11 ng/ml - 900 ng/ml, meaning there was not much difference in the measuring range among them all (see FIG. 11 and FIG. 12).

From the above results, it was confirmed that standard protein could be any of human  $\beta$  ig-h3, mouse  $\beta$  ig-h3, recombinant  $\beta$  ig-h3 D-IV(1x), ig-h3 D-IV(2x), ig-h3 D-IV(3x) and  $\beta$  ig-h3 D-IV(4x), and either antihuman  $\beta$  ig-h3 antibody or anti-mouse  $\beta$  ig-h3 antibody could be used as the primary antibody.

In this invention, the preferable coating concentration of standard protein is 0.1 - 2.0  $\mu$ g/ml and 0.5 - 1.0  $\mu$ g/ml is more preferable. The preferable diluting ratio of the primary and the secondary antibody is 1:400 - 1:3200 and 1:2000 is more preferable.

The present invention provides a diagnostic kit for renal diseases, hepatic diseases, rheumatoid

arthritis or cardiovascular diseases, with which the diseases are diagnosed by measuring the amount of  $\beta$  ighas protein in the body fluids of patients.

The diagnostic kit of the present invention includes  $\beta$  ig-h3 protein or recombinant proteins of fas-1 domain in the  $\beta$  ig-h3 protein (including their fragments or their derivatives) and their ligands. At this time, as preferable specific ligands, antibodies against  $\beta$  ig-h3 protein or  $\beta$  ig-h3 fas-1 domains are used. The kit can additionally include buffer solution, secondary antibody, washing solution or coloring substrate.

5

10

15

20

25

The diagnostic kit of the present invention is available for the diagnosis of various diseases such as renal diseases, hepatic diseases, rheumatoid arthritis or cardiovascular diseases by measuring the amount of  $\beta$  ig-h3 protein in the body fluids.

It is possible to diagnose renal diseases by measuring the amount of  $\beta$  ig-h3 protein on the basis of the fact that  $\beta$  ig-h3 expression is induced by TGF- $\beta$  that plays an important role in the development of renal diseases. For the confirmation of the above, measured the amount of  $\beta$  ig-h3 in urine of diabetic patients. As a result, the amount of  $\beta$  ig-h3 in urine of patients with diabetic renal diseases including

microalbuminuria was about five-fold higher than that of normal person. Some diabetic patients without renal diseases also showed higher  $\beta$  ig-h3 amount than normal. Considering the above result,  $\beta$  ig-h3 level in urine seems to reflect the extent of renal damage and high  $\beta$  ig-h3 level of some diabetic patients without renal diseases suggests that their kidneys are already damaged to some degree, though not showing any clinical troubles yet. Therefore, measuring the amount of  $\beta$  igh3 in patients urine is a highly sensitive and important diagnostic method that can reflect the damage of kidneys in the early stage.

5

10

15

20

25

the βiq-h3 whether confirm order to concentration in a diabetic patient's urine can reflect the damage of a kidney in the early stage, measured the  $\beta$  ig-h3 concentration of a diabetic animal. result, the  $\beta$  ig-h3 concentration was 4-fold increased 5 days after inducing diabetes (see FIG. 13). Observed the changes of  $\beta$  ig-h3 concentration in each individual after inducing diabetes, resulting in the great of  $\beta$  ig-h3 concentration in urine after increase inducing diabetes (see FIG. 14). On the 5<sup>th</sup> day after inducing diabetes, blood urea and creatine were normal and kidney tissues seemed normal. Thus, the great increase of  $\beta$  ig-h3 amount in urine on the fifth day suggests that there was the minimum damage in kidney

already, which could not be detected by the traditional test methods.

The present inventors further confirmed the βiq-h3 damage and between kidney relation concentration by measuring  $\beta$  ig-h3 amount in urine of preoperative and postoperative patients with kidney result, the high  $\beta$  ig-h3 transplantation. As a preoperative patient dropped concentration of a gradually after successful operation. But in the case of No. 5 patient whose kidney function was not operation, the after recovered even great (see FIG. still concentration was Considering all the above results, it is for sure that the  $\beta$  ig-h3 concentration sensitively reflects the extent of kidney damage.

The present inventors also measured the  $\beta$  ig-h3 concentration in urine of renal failure patients. As a result, all of those renal failure patients showed great  $\beta$  ig-h3 concentration in their urine. Thus, it was confirmed again that  $\beta$  ig-h3 amount in urine reflects kidney damage sensitively even in the early stage, so that measuring the  $\beta$  ig-h3 amount is very important diagnostic method for various renal diseases (see Table 3).

25

20

5

10

15

Determining if a chronic hepatitis patient is

5

10

15

20

25

developing to a hepatocirrhosis patient is important but there is no way to catch that so far. factor for the development of The most crucial βiq-h3 whose  $TGF-\beta$  . Thus, is hepatocirrhosis could be possibly expression is induced by  $TGF-\beta$ increased in blood as hepatocirrhosis goes on. If so, the amount of  $\beta$  ig-h3 can also reflect the extent of fact, β ig-h3 expression was In hepatocirrhosis. confirmed to be greater as hepatocirrhosis became serious by immunohistological test with liver tissues present inventors The patients. hepatitis of subdivided patient's condition into several grades and stages based on the biopsy results of chronic hepatitis patients and investigated blood  $\beta$  ig-h3 concentration of each stage and grade. Chronic hepatitis patients showed higher blood  $\beta$  ig-h3 concentration than normal people. \$\beta\$ ig-h3 concentration of lower stage and grade was confirmed to be higher than that of higher stage and grade (see Table 5). Condition of a patient in grade 3 and stage 3 is that hepatocirrhosis has been developed seriously and its activity went through the Meanwhile, a patient in grade 1 and 2 peak already. and stage 1 and 2 shows the condition that inflammatory reaction is developing very actively. Thus,  $\beta$  iq-h3 concentration implies the activity of hepatocirrhosis, so that the development of hepatocirrhosis can be

PCT/KR02/01975 WO 03/089935

observed by measuring blood  $\beta$  ig-h3 concentration regularly.

concentration in synovial fluid βiq-h3 osteoarthritis rheumatoid arthritis patients and As a result, two-fold patients was also measured. synovial fluid of higher  $\beta$  ig-h3 concentration in rheumatoid arthritis patients was observed, suggesting that measuring  $\beta$  ig-h3 concentration in synovial fluid can be an effective way to diagnose osteoarthritis and 10 rheumatoid arthritis (see Table 6).

5

15

20

25

In addition, the expression patterns of  $\beta$  ig-h3 in normal and damaged blood vessels of diabetic mice were investigated by immunohistochemical methods in order to confirm the relation between the expression of  $\beta$  ig-h3 and vascular diseases. As a result,  $\beta$  ig-h3 protein was expressed much greatly in damaged blood vessels of diabetic mice than in normal blood vessels (see FIG. Based on that  $\beta$  ig-h3 expression is induced by 18).  $TGF-\beta$  that plays an important role in the development inducing βiq-h3 TGF-β 1 diseases, vascular of expression in vascular smooth muscle cells forming blood vessels was investigated. As a result, it was confirmed that  $\beta$  ig-h3 expression increases as the amount of TGF- $\beta$  1 increases (see FIG. 19).

The expression of  $\beta$  ig-h3 in blood and tissues reflects the damage of them. Thus, it was confirmed that the method for measuring the amount of  $\beta$  ig-h3 protein of the present invention can be effectively used for the diagnosis of various vascular diseases.

5

10

15

20

25

Therefore, the diagnostic kit measuring the amount of  $\beta$  ig-h3 protein of the present invention is very effective in use since it reflects the extent of damage and progress of renal diseases, hepatic diseases, rheumatoid arthritis or cardiovascular diseases.

#### **EXAMPLES**

Practical and presently preferred embodiments of the present invention are illustrative as shown in the following Examples.

However, it will be appreciated that those skilled in the art, on consideration of this disclosure, may make modifications and improvements within the spirit and scope of the present invention.

# Example 1: Preparation of standard proteins and primary antibodies

mouse  $\beta$  ig-h3 proteins. The structural elements of human and mouse  $\beta$  ig-h3 proteins are shown in FIG. 1. Hatched region and cross-hatched region of FIG. 1 show very well preserved sequences of repeated fas-1 domain I, II, III and IV and blank region represents RGD motif.

5

10

15

20

25

 $\beta$  ig-h3 cDNA (pBS  $\beta$  ig-h3; obtained by cloning cDNA of human skin papilloma cells) having a base sequence represented by SEQ. ID. No 2 cloned in pBluescript SK (-) vector was digested with Nde I and Bgl II, resulting in the preparation of DNA fragments having blunt ends. The above DNA fragments were subcloned into EcoR V and EcoR I sites of pET-29 $\beta$  vector (purchased from Novagen). The protein having a amino acid sequence of 69 - 653 amino acids of  $\beta$  ig-h3 represented by SEQ. ID. No 3 was separated and named human  $\beta$  ig-h3.

Next,  $\beta$  ig-h3 cDNA was digested with BamH I and Xho I, resulting in the preparation of DNA fragments having a base sequence represented by SEQ. ID. No 4. The above DNA fragments were subcloned into BamH I and Xho I sites of pET-29 $\beta$  vector. The protein having a amino acid sequence of 23 - 641 amino acids of  $\beta$  ig-h3 represented by SEQ. ID. No 5 was separated and named mouse  $\beta$  ig-h3.

In order to express the above human and mouse  $\beta$  ig-h3 proteins, *E.coli* BL21(DE3) cells were transformed. The transformants were cultured in LB medium containing kanamicine (50  $\mu\text{g/ml}$ ) at 37°C until their OD<sub>595</sub> was reached to 0.5 - 0.6. During the culture, the expression of  $\beta$  ig-h3 protein was induced by treating 1 mM isopropyl- $\beta$ -D-(-)thiogalactopyranoside (IPTG) at 37°C for 3 hours.

5

20

25

10 Pellets of E.coli cells were resuspended in cell lysis buffer (50 mM Tris-HCl, pH 8.0, 100 mM NaCl, 1 mM EDTA, 1% Triton X-100, 1 mM phenylmethane sulfonyl fluoride (referred as "PMSF" hereinafter) and 0.5 mM DTT), and then crushed by ultrasonification. The procedure was repeated 5 times.

The above solution was centrifuged and the insoluble inclusion bodies containing  $\beta$  ig-h3 were dissolved in 20 mM Tris-HCl buffer solution containing 0.5 M NaCl, 5 mM imidazol and 8 M urea. The proteins were purified by using Ni-NTA resin (Qiagen). The proteins were dialyzed one after another in 20 mM Tris-Cl buffer solution containing 50 mM NaCl with urea starting from high concentration to low concentration for the purification and the results were confirmed by SDS-PAGE.

As a result, it was confirmed that the human  $\beta$  ig-

h3 and the mouse  $\beta$  ig-h3 proteins of the present invention were purified (FIG. 2).

<1-2> Construction and separation of  $\beta$  ig-h3 D-IV(1x) and  $\beta$  ig-h3 D-IV(4x)

5

10

15

20

25

The DNA fragment represented by SEQ. ID. No 6 encoding the 4<sup>th</sup> domain that corresponds to  $498^{th}$  -  $637^{th}$  amino acids of human  $\beta$  ig-h3 represented by SEQ. ID. No 1 was amplified by PCR. The PCR product was cloned into pET-29 $\beta$  vector to construct the expression vector of the 4<sup>th</sup> domain. The present inventors named the expression vector of the 4<sup>th</sup> domain " $\beta$  ig-h3 D-IV".

Base sequence that corresponds to the 4<sup>th</sup> domain was synthesized by PCR, and the 3' end of the PCR product was blunted by using klenow fragment. This PCR product was inserted into EcoR V site of the above expression vector p $\beta$  ig-h3 D-IV, and named p $\beta$  ig-h3 D-IV(2x). Inserted fragment of p $\beta$  ig-h3 D-IV(2x) was digested with EcoR V and Xho I, and the 3' end of the fragment was blunted by using klenow fragment. This fragment was inserted into EcoR V site of p $\beta$  ig-h3 D-IV, and named p $\beta$  ig-h3 D-IV(3x). The fragment having blunted 3' end was also inserted into EcoR V site of p $\beta$  ig-h3 D-IV(2x), and named p $\beta$  ig-h3 D-IV(4x) (FIG. 3). His-tag was made by linking 6 histidine residues to

carboxyl terminal of the DNA fragment to purify proteins with Ni-NTA resin (Qiagen).

E.coli BS21(DE3) cells were transformed with the expression vectors. The transformants were cultured in LB medium containing kanamicine (50 μg/ml). Pellets of E.coli cells were resuspended in cell lysis buffer (50 mM Tris-HCl, pH 8.0, 100 mM NaCl, 1 mM EDTA, 1% Triton X-100, 1 mM phenylmethane sulfonyl fluoride (referred as "PMSF" hereinafter) and 0.5 mM DTT), and then crushed by ultrasonification. The procedure was repeated 5 times. The above solution was centrifuged to obtain supernatants. The proteins were purified by using Ni-NTA resin (Qiagen) from the supernatants, and confirmed with SDS-PAGE.

As a result, it was confirmed that β ig-h3 D-IV(1x) having an amino acid sequence represented by SEQ.
ID. No 7, β ig-h3 D-IV(2x) having an amino acid sequence represented by SEQ. ID. No 8, β ig-h3 D-IV(3x) having an amino acid sequence represented by SEQ. ID.
No 9 and β ig-h3 D-IV(4x) having an amino acid sequence represented by SEQ. ID. No 10 proteins were expressed.
All the above proteins contained the 4<sup>th</sup> domain of human β ig-h3 (FIG. 4).

25

5

10

<sup>&</sup>lt;1-3> Preparation and separation of primary antibody

The primary antibody was prepared by using human  $\beta$  ig-h3 and mouse  $\beta$  ig-h3 proteins separated in Example <1-1> as an antigen. The proteins were subcutaneously For the first injected on the back of rabbits. injection, 200  $\mu\mathrm{g}$  of proteins were mixed with complete Freund's adjuvant and then injected. For the  $2^{nd}$  to  $5^{th}$ mixed with of proteins were 100  $\mu g$ injection, incomplete Freund's adjuvant and then injected at 3week intervals. Venous blood was collected and left at room temperature for 2 hours. Following centrifugation  $(10,000 \times g, 10 \text{ minutes})$ , the supernatants containing the primary antibody were obtained. The supernatants were kept at  $-20\,^{\circ}\mathrm{C}$  for further usage (FIG. 5).

5

10

- 15 Example 2 Determination of coating concentration of human β ig-h3 protein and quantitative ratio of antibody
  - <2-1> Determination of quantitative ratio of the primary antibody
- In order to determine the quantitative ratio of the primary antibody to human  $\beta$  ig-h3 protein, the human  $\beta$  ig-h3 was diluted (0.5  $\mu$ g/ml) with 20 mM carbonate-bicarbonate solution (pH 9.6, 0.02% sodium azide contained). The  $\beta$  ig-h3 solution was added in each well of 96-well plate (200  $\mu$ l/well) and coated

thereof at 4°C for overnight. The primary anti-human  $\beta$ ig-h3 antibody was serially diluted with diluting solution (saline-phosphate buffer solution/Tween 80) at 1:200, 1:400, 1:800, 1:1600, 1:2000 and 1:3200, and added into the coated 96-well plate. The secondary antibody (1:5000) was also added thereto and reacted thereof at room temperature for 1 and half hours. dissolving by Substrate solution (prepared phenylendiamine in methanol (10 mg/ml), diluting with distilled water at 1:100, and mixing with 10  $\mu l$  of 30% hydrogen peroxide solution) was also added thereto and reacted thereof at room temperature for 1 hour. The reaction was terminated by adding 50  $\mu\!l$  of 8 N sulfuric acid solution, and ELISA was performed (O.D 492 nm).

5

10

15

20

25

As a result, it was confirmed that the best quantitative ratio of the primary anti-human  $\beta$  ig-h3 antibody was 1:1600 and 1:2000 (FIG. 7)

<2-2> Determination of quantitative ratio of secondary antibody

In order to determine the quantitative ratio of the secondary antibody, the human  $\beta$  ig-h3 protein was coated on the plate (0.5  $\mu$ g/ml). Added the primary anti-human  $\beta$  ig-h3 antibody thereto (1:1600 and 1:2000). Added the secondary antibody thereto (1:1000, 1:2000 and 1:3000 respectively) and reacted thereof. ELISA was

performed with the same method as the above Example <2-1>.

As a result, it was confirmed that the best quantitative ratio of the secondary antibody was 1:2000 (FIG. 8).

5

10

15

20

25

<2-3> Determination of coating concentration of human  $\beta$  ig-h3 protein

In order to determine the coating concentration of human  $\beta$  ig-h3 protein, the primary anti-human  $\beta$  ig-h3 antibody was diluted at 1:2000, the secondary antibody was diluted at 1:2000, the human  $\beta$  ig-h3 protein was coated on the plate at 0.5  $\mu$ g/ml and 1.0  $\mu$ g/ml respectively, and then ELISA was performed.

As a result, it was confirmed that the proper concentration of human  $\beta$  ig-h3 protein was both 1.0  $\mu g/ml$  and 0.5  $\mu g/ml$ , but 0.5  $\mu g/ml$  was more preferable as coating concentration since  $R^2$  value approaches 1 best with that concentration (FIG. 9).

From the above results, the present inventors decided the optimum coating concentration of human  $\beta$  ig-h3 standard protein to be 0.5  $\mu$ g/m $\ell$  and the best diluting ratio of the primary anti-human  $\beta$  ig-h3 antibody and the secondary antibody to be 1:2000, respectively.

The values obtained from the above result were

log transformed by Robard formula (Robard, 1971) represented by the below <Mathematical Formula 1>.

Resultingly, a line was formed from 11 ng/ml to 900 ng/ml, which was the possible range in measurement. It was also confirmed that measurement was possible even to the range of 10 ng/ml with the above reaction condition (FIG. 10).

<Mathematical Formula 1>

10 log b = log  $e^{b/(100-b)}$ 

5

20

25

In the above formula, b represents the percentage to OD of the well that does not include any antigen in each concentration.

15 Example 3: Measurement of quantitative range of mouse  $\beta$  ig-h3, recombinant  $\beta$  ig-h3 D-IV(1x) and  $\beta$  ig-h3 D-IV(4x) by cross-test

The present inventors also determined protein concentration and the quantitative ratio of the primary and the secondary antibody using mouse  $\beta$  ig-h3, recombinant  $\beta$  ig-h3 D-IV(1x) and  $\beta$  ig-h3 D-IV(4x). Particularly, made coating concentration of each protein 0.5  $\mu$ g/ml and the quantitative ratio of the primary anti-human  $\beta$  ig-h3 antibody and the secondary antibody to be 1:2000 for the experiments. Regulated

the quantitative ratio of the primary anti-mouse  $\beta$  igha antibody and the secondary antibody to be 1:2000 as well.

As a result, graphs with straight line were made for all the cases, suggesting the ratio was the best and the ranges of them were between 11 ng/ml and 900 ng/ml, meaning there were not much differences in the range of measurement (FIG. 11 and FIG. 12).

5

10

20

25

From the above results, it was confirmed that standard protein could be any of human  $\beta$  ig-h3, mouse  $\beta$  ig-h3, recombinant  $\beta$  ig-h3 D-IV(1x) and  $\beta$  ig-h3 D-IV(4x), and either anti-human  $\beta$  ig-h3 antibody or anti-mouse  $\beta$  ig-h3 antibody could be used as the primary antibody.

# 15 Example 4: Relationship between renal diseases and β ig-h3 expression

<4-1> Measurement of  $\beta$  ig-h3 in diabetics

The present inventors have confirmed the relationship between renal diseases and  $\beta$  ig-h3 expression on the basis of the fact that  $\beta$  ig-h3 expression is induced by TGF- $\beta$  that plays an important role in the development of renal diseases. For the confirmation, measured the amount of  $\beta$  ig-h3 in urine of diabetics. Particularly, mixed 110  $\mu$ l of urine of diabetic and 110  $\mu$ l of the primary antibody (1:1000) in

a round-bottomed plate, and cultured thereof at  $37^{\circ}$ C for 1 hour. Added 200  $\mu$ l of the above mixture to  $\beta$  igham-coated plate and reacted thereof at room temperature for 30 minutes. Stopped the reaction by adding secondary antibody-substrate stop solution, and performed ELISA (O.D 492 nm.

Samples	β ig-h3(ng/mℓ)			
Normal	31.0 (n=93, ± 8.6)			
Type II DM	101.9 (n=51, ± 17.1)			
Type II DM + microalbuminuria	127.4 (n=30, ± 27.7)			
Type II DM + overt proteinuria	105.4 (n=19, ± 14.9)			
Type II DM + CRF	153.6 (n=93, ± 28.1)			

10

15

20

5

As a result, the amount of  $\beta$  ig-h3 in urine of including patients diabetic renal disease microalbuminuria was about five-fold higher than that renal patients without diabetic normal. Some of diseases also showed higher  $\beta$  ig-h3 amount than normal. Considering the above results,  $\beta$  ig-h3 level in urine seems to reflect the extent of renal damage and high  $\beta$ ig-h3 level of some diabetic patients without renal diseases suggests that their kidneys have already been damaged to some degree, though not showing any clinical

troubles yet. Therefore, measuring the amount of  $\beta$  igham in patients' urine is a highly sensitive and important diagnostic method that can reflect the damage of kidneys in the early stage.

5

10

15

<4-2> Measurement of  $\beta$  ig-h3 in diabetic animal model

In order to confirm whether the  $\beta$  ig-h3 concentration in diabetic's urine can reflect the renal damage in the early stage, the present inventors measured the  $\beta$  ig-h3 amount of diabetic animals.

Diabetes was induced in Sprague-Dawley (SD) rats by injecting streptozotosin (60 mg/kg), a kind of diabetes-inducing drug, into the peritoneal cavity of the rats. Confirmed that diabetes was induced by measuring the blood-glucose of the rats. Taken urines from the rats on the fifth day after inducing diabetes, and measured the  $\beta$  ig-h3 amount with the same method of Example <4-1>

As a result, the  $\beta$  ig-h3 amount was 4-fold increased 5 days after inducing diabetes (56.9  $\pm$  6.4 ng/creatine mg : 230.4  $\pm$  131.8 ng/creatine mg, FIG. 13). Observed the change of  $\beta$  ig-h3 amount in each individual after inducing diabetes, resulting in the great increase of  $\beta$  ig-h3 amount in urine after inducing diabetes (FIG. 14). On the fifth day after

inducing diabetes, blood urea and creatine were normal and renal tissues seemed normal. Thus, the great increase of  $\beta$  ig-h3 amount in urine on the fifth day after inducing diabetes suggested that there was the minimum damage in kidney already, which could not be detected by the conventional methods.

<4-3> Measurement of  $\beta$  ig-h3 in patients operated on kidney transplantation

The present inventors confirmed the correlation between renal damage and  $\beta$  ig-h3 amount by measuring  $\beta$  ig-h3 amount in urines of patients before and after kidney transplantation. The results were presented in Table 2.

15

5

10

<Table 2>
Changes of  $\beta$  ig-h3 concentration in patients before and
after kidney transplantation

		-			_									Succ
Day /	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	ess
/ Pati	-0		-	_										or
ents														not
1				376.	199.	105.	59.1	67.6	84.5	63.1	61.2	39.7	9.9	0
-				9	2	6								
2		149.	147.	133.	159.	148.	147.	96.0	74.0	40.7	20.3	27.9	26.4	0
-	1	2	3	5	5	3	3							
3	107.	95.8		102.	102.	106.	106.	125.	83.5	49.4	36.5	33.3	23.2	0
,	8	33.0	4	3	2	1	6	5				ì		
4	<del>                                     </del>		<u> </u>	<del>                                     </del>	-		298.	208.	140.	169.	188.	76.3	24.4	0
4	1	1		١.	1	1	8	1	5	9	4		l	
<del>-</del>	<del> </del>	├		<del>                                     </del>	<del> </del>	t —	188.	160.	469.	290.	494.	324.	-	X
5				l	i		6	7	3	9	7	4	1	"

As a result, the high  $\beta$  ig-h3 amount of preoperative patients dropped gradually after successful operation. But in the case of No 5 patient whose renal function was not recovered even after kidney transplantation, the  $\beta$  ig-h3 amount was still great. Considering all the above results, it is for sure that the amount of  $\beta$  ig-h3 sensitively reflects the extent of kidney damage.

5

15

20

10 <4-4> Measurement of  $\beta$  ig-h3 in patients with renal failure

The present inventors measured the  $\beta$  ig-h3 amount in urines of patients with renal failure. As a result, all of those patients showed great  $\beta$  ig-h3 amount in their urines (Table 3).

Samples	βig-h3 (ng/mg)			
Normal	31.0 (n=93, ± 8.6)			
Chronic renal failure	335.4 (n=9, ± 56.0)			

<4-5> Measurement of  $\beta$  ig-h3 in patients with kidney related diseases

In order to investigate whether  $\beta$  ig-h3 was differently expressed in patients with renal diseases, the present inventors measured the  $\beta$  ig-h3 concentration in urines taken from patients who showed normal signs after kidney transplantation, patients whose transplanted kidney was smaller, patients who showed chronic rejection, patients with re-developed pyelitis and patients who had cyclosphorine toxicity with the same method of Example <4-1>.

10

5

As a result, patients with normal signs after kidney transplantation showed 39.4 ng/creatine mg of  $\beta$  ig-h3 concentration at average while patients with chronic rejection, re-developed pyelitis and cyclosphorine toxicity showed greatly increased  $\beta$  ig-h3 concentration (140.8, 175.4 and 90.9 ng/creatine mg, respectively) (FIG. 15, Table 4).

<Table 4>

20

15

β ig-h3	Normal	Transpla	Chronic	Pyelitis	Cyclosph
	after	nted	rejectio	re-	orine
	kidney	with	n	develope	toxicity
	transpla	small	(n=15)	đ	(n=6)
	ntation	kidney		(n=6)	
	(n=47)	(n=16)			

Average	39.4±	54.7±	140.8±	175.4±	90.9±
	18.2	23.0	81.1	65.8	22.4
Minimum	9.4	17.9	48.8	83.2	64.6
Maximum	84.7	100.0	374.4	249.8	119.4

The present inventors also investigated if the increased  $\beta$  ig-h3 concentration in patients with redecreased again as renal diseases was developed βig-h3 result, urine As a treatment worked. concentration of patients who had blood plasma exchange re-developed pyelitis after kidney treat transplantation was gradually decreased, suggesting urine  $\beta$  ig-h3 concentration decreased while treatment was working. Thus,  $\beta$  ig-h3 concentration could be used as a marker of treatment reaction (FIG. 16).

5

10

<4-6> Analysis of effects of kidney transplantation on  $\beta$  ig-h3 concentration

In order to investigate the changes of urine  $\beta$  ighat concentration after kidney transplantation, the present inventors measured urine  $\beta$  igh3 concentration of patients who had kidney transplantation everyday.

20 As a result, urine  $\beta$  ig-h3 concentration of patients who had kidney transplantation successfully, regardless the kidney was given from a living person or

a brain death person, was decreased gradually. Precisely, as for receiving kidney from a living person, urine  $\beta$  ig-h3 concentration came back to normal level within 4-5 days after transplantation and as for receiving kidney from a brain death person,  $\beta$  ig-h3 concentration came back to normal level within 6-7 days (FIG. 17).

5

10

15

20

25

Besides, urine  $\beta$  ig-h3 concentration of patients who received small kidney came back to normal level after transplantation though their blood creatine suggesting that still high, values were transplanted kidney worked normal although it could not filtrate waste products well enough because of its Anyway,  $\beta$  ig-h3 concentration reflecting small size. the damage of kidney was back to normal (FIG. 17). Meanwhile, urine  $\beta$  ig-h3 concentration of patients who had unsuccessful kidney transplantation fluctuated seriously.

Based on those results, urine  $\beta$  ig-h3 concentration could be used as an effective marker for diagnosis of renal diseases in the early stages, for detecting progression of renal diseases and for determination of treatment effect since  $\beta$  ig-h3 concentration reflects the damage of kidney well.

Resultingly, the present inventors confirmed that urine  $\beta$  ig-h3 concentration reflects the damage of

PCT/KR02/01975 WO 03/089935

kidney in the early stages sensitively and is important and useful for diagnosis of various renal diseases.

### Example 5: Relationship between hepatic diseases and β ig-h3 expression

5

10

20

25

Determining if a chronic hepatitis patient is developing to a hepatocirrhosis patient is important but there is no way to catch that so far. most crucial factor for the development of whose βiq-h3 Thus, TGF-β . hepatocirrhosis is expression is induced by  $TGF-\beta$  could be possibly increased in blood as hepatocirrhosis goes on. If so, the amount of  $\beta$  ig-h3 can also reflect the extent of hepatocirrhosis. In fact, β ig-h3 expression confirmed to be greater as hepatocirrhosis became 15 serious by immunohistologic test with liver tissues of hepatitis patients. The present inventors subdivided patient's condition into several grades and stages based on the biopsy results of chronic hepatitis patients and investigated blood  $\beta$  ig-h3 concentration of each stage and grade. Particularly, the present from chronic hepatitis inventors collected blood patients and measured the amount of  $\beta\ \text{ig-h3}$  with the method of Example <4-1>. The results were presented in Table 5.

<Table 5>
Concentrations of  $\beta$  ig-h3 in blood of chronic hepatitis
patients

5

10

15

Grade	βig-h3 (ng/mg)	Stage	β ig-h3 (ng/mg)
0 (Normal)	146.2 (n=172,± 28.5)	0 (Normal)	146.2 (n=172,± 28.5)
1	196.6 (n=16,± 30.6)	1	193.4 (n=20,± 30.2)
2	190.0 (n=43,± 72.8)	2	192.2 (n=36,± 79.1)
3	167.5 (n=7,± 21.9)	3	172.5 (n=10,± 21.9)

As a result, chronic hepatitis patients showed higher blood  $\beta$  ig-h3 concentration than normal people and  $\beta$  ig-h3 concentration of lower stage and grade (1 and 2) was confirmed to be higher than that of higher stage and grade (3). Condition of a patient in grade 3 and stage 3 is that hepatocirrhosis has been developed seriously and its activity went through the peak already. Meanwhile, a patient in grade 1 and 2 and stage 1 and 2 shows the condition that inflammatory reaction is developing very actively. Thus,  $\beta$  ig-h3 concentration implies the activity of hepatocirrhosis, so that the development of hepatocirrhosis can be observed by measuring blood  $\beta$  ig-h3 concentration

regularly.

# Example 6: Relationship between rheumatoid arthritis and $\beta$ ig-h3 expression

The present inventors confirmed the correlation between rheumatoid arthritis and  $\beta$  ig-h3 expression by measuring  $\beta$  ig-h3 amount in synovial fluids of patients with osteoarthritis and rheumatoid arthritis with the same method of Example <4-1> (Table 6).

10

5

	βig-h3 (ng/mg)
Osteoarthritis	11.0 (n=29, ± 0.3)
Rheumatoid arthritis	21.0 (n=20, ± 2.5)

15

As a result, two-fold higher  $\beta$  ig-h3 concentration in synovial fluid of rheumatoid arthritis patients was observed, suggesting that measuring  $\beta$  ig-h3 concentration in synovial fluid can be an effective way to diagnose osteoarthritis and rheumatoid arthritis.

20

## Example 7: Relationship between cardiovascular diseases and $\beta$ ig-h3 expression

<7--1> Measurement of  $\beta$  ig-h3 in damaged blood vessels of diabetes-induced mice

The present inventors investigated the expression patterns of  $\beta$  ig-h3 in normal and damaged blood vessels of diabetic mice by immunohistochemical methods in order to confirm the relation between the expression of  $\beta$  ig-h3 and cardiovascular diseases.

10

20

25

5

As a result,  $\beta$  ig-h3 protein was expressed much greatly in damaged blood vessels of diabetic mice than in normal blood vessels (FIG. 18).

15 <7-2> Measurement of  $\beta$  ig-h3 expression induced by TGF-  $\beta$  in vascular smooth muscle cells

Based on that  $\beta$  ig-h3 expression is induced by TGF- $\beta$  that plays an important role in the development of vascular diseases, the present inventors tried to confirm the correlation  $\beta$  ig-h3 expression and cardiovascular diseases. Particularly, the present inventors measured the expression pattern of  $\beta$  ig-h3 induced by TGF- $\beta$ 1 in vascular smooth muscle cells forming blood vessels with the same method of Example <4-1>.

As a result, it was confirmed that  $\beta$  ig-h3 expression increases as the amount of TGF- $\beta$  1 increases (FIG. 19).

From the above results, it was confirmed that the expression of  $\beta$  ig-h3 in blood and tissues reflects the damage of them. Therefore, the method for measuring the amount of  $\beta$  ig-h3 protein of the present invention can be effectively used for the diagnosis of various cardiovascular diseases.

### INDUSTRIAL APPLICABILITY

15

20

25

As described hereinbefore, the method for measuring the amount of  $\beta$  ig-h3 protein of the present invention in which human  $\beta$  ig-h3, mouse  $\beta$  ig-h3,  $\beta$  ig-h3 D-IV(1x) or  $\beta$  ig-h3 D-IV(4x) are used as a standard protein is inexpensive and very accurate in measuring  $\beta$  ig-h3 concentration in various body fluids. The amount of  $\beta$  ig-h3 sensitively reflects TGF- $\beta$  related diseases such as renal diseases, hepatic diseases, rheumatoid arthritis and cardiovascular diseases in the early stages, so that the method of the present invention can be effectively used for the examination of the damage and the progress of those diseases and for the diagnosis thereof.

#### What is Claimed is

5

10

15

20

1. A method for measuring the amount of  $\beta$  ig-h3 protein comprises the following steps:

- 1) Preparing recombinant proteins of  $\beta$  ig-h3 or  $\beta$  ig-h3 fas-1 domain, their fragments or derivatives;
  - 2) Preparing specific ligands against the above recombinant proteins, their fragments or derivatives of the above step 1; and
  - 3) Measuring the amount of  $\beta$  ig-h3 protein of samples with the method using binding reaction of ligands of the above step 2 with the recombinant proteins, their fragments or derivatives of the above step 1.
- 2. The method for measuring the amount of  $\beta$  ig-h3 protein as set forth in claim 1, wherein the ligands of step 1) are selected from a group consisting of antibodies, RNA, DNA, lipids, proteins, organic compounds and inorganic compounds.
- 3. The method for measuring the amount of  $\beta$  ig-h3 protein as set forth in claim 1, wherein the specific binding reaction of step 3) is antigen-

antibody reaction.

5

15

25

- 4. The method for measuring the amount of  $\beta$  ig-h3 protein as set forth in claim 3, wherein the antigen-antibody reaction is performed by a method selected from a group consisting of immunoblotting, immunoprecipitation, ELISA, RIA, protein chip, rapid assay and microarray.
- 5. The method for measuring the amount of  $\beta$  ig-h3 protein as set forth in claim 3, wherein the antigen-antibody reaction of step 3) comprises the following steps:
  - 1) Coating recombinant protein prepared from  $\beta$  igham ignormal protein or  $\beta$  igham igham its fragments or derivatives to matrix;
  - 2) Reacting antibody against the protein of the above step 1, its fragments or derivatives with sample;
- 3) Adding the reactant of the above step 2 to the coated protein of step 1 and waiting for reaction, and then washing thereof; and
  - 4) Adding the secondary antibody to the reactant of the above step 3 for further reaction, and then measuring OD.

6. The method for measuring the amount of  $\beta$  ig-h3 protein as set forth in anyone of claim 1-5, wherein the  $\beta$  ig-h3 protein is human  $\beta$  ig-h3 protein having amino acid sequence represented by SEQ. ID. NO 3 or mouse  $\beta$  ig-h3 protein having amino acid sequence represented by SEQ. ID. No 5.

5

10

15

20

- 7. The method for measuring the amount of  $\beta$  ig-h3 protein as set forth in anyone of claim 1-5, wherein 1 or 2-10 4<sup>th</sup> fas-1 domains of  $\beta$  ig-h3 protein are repeatedly linked.
  - 8. The method for measuring the amount of  $\beta$  ig-h3 protein as set forth in claim 7, wherein the fas- 1 domain of  $\beta$  ig-h3 is selected from a group consisting of sequences represented by SEQ. ID. No 7, No 8, No 9 and No 10.
- 9. The method for measuring the amount of β ig-h3 protein as set forth in claim 1, wherein the sample can be any body fluid including urine, blood or synovial fluid.
- 10.A diagnostic kit for the renal diseases, hepatic diseases, rheumatoid arthritis or cardiovascular diseases comprising  $\beta$  ig-h3 protein or recombinant

proteins of fas-1 domain in the  $\beta$  ig-h3 protein (including their fragments or their derivatives) and their ligands.

- 11. The diagnostic kit as set forth in claim 10, wherein the ligand is selected from a group consisting of antibody specifically binding to  $\beta$  ig-h3 protein, fas-1 domain of  $\beta$  ig-h3, their fragments or derivatives, RNA, DNA, lipids, proteins, organic compounds and inorganic compounds.
  - 12. The diagnostic kit as set forth in claim 11, wherein the ligand is antibody.
  - 13. The diagnostic kit as set forth in claim 12, wherein the kit additionally includes buffer solution, secondary antibody, washing solution, stop solution or coloring substrate.

15

20


25


14. The diagnostic kit as set forth in claim 10, wherein the  $\beta$  ig-h3 protein is human  $\beta$  ig-h3 protein having amino acid sequence represented by SEQ. ID. No 3 or mouse  $\beta$  ig-h3 protein having amino acid sequence represented by SEQ. ID. No 5.


15. The diagnostic kit as set forth in claim 10, wherein 1 or 2-10  $4^{\rm th}$  fas-1 domains of  $\beta$  ig-h3 protein are repeatedly linked.


5 16. The diagnostic kit as set forth in claim 15, wherein the fas-1 domain of  $\beta$  ig-h3 is selected from a group consisting of sequences represented by SEQ. ID. No 7, No 8, No 9 and No 10.


10





















8/19

FIG. 8












11/19


FIG. 11






12/19 FIG. 12








15/19 FIG. 15


## βig-h3 (ng/mg creatinine)



PCT/KR02/01975 WO 03/089935

16/19 FIG. 16








7.24 8.23 9.27


17/19 FIG. 17


## **Kidney Transplantation**













18/19

FIG. 18




A. Normal tissue (x200)



B. Damaged tissue (x200)

19/19 FIG. 19



## SEQUENCE LISTING

- <110> REGEN Biotech. Inc.
- <120> The method for measuring the amount of  $\beta$  i g- h 3 protein and diagnostic kit using the same
- <130> 2fpo-10-14
- <160> 10
- <170> KopatentIn 1.71
- <210>
- <211> 683
- <212> PRT
- <213> Homo sapiens
- <400> 1
- Met Ala Leu Phe Val Arg Leu Leu Ala Leu Ala Leu Ala Leu 1 5 10 15
- Gly Pro Ala Ala Thr Leu Ala Gly Pro Ala Lys Ser Pro Tyr Gln Leu 20 25 30
- Val Leu Gln His Ser Arg Leu Arg Gly Arg Gln His Gly Pro Asn Val 35 40 45
- Cys Ala Val Gln Lys Val Ile Gly Thr Asn Arg Lys Tyr Phe Thr Asn 50 55 60
- Cys Lys Gln Trp Tyr Gln Arg Lys Ile Cys Gly Lys Ser Thr Val Ile 65 70 75 80
- Ser Tyr Glu Cys Cys Pro Gly Tyr Glu Lys Val Pro Gly Glu Lys Gly 85 90 95
- Cys Pro Ala Ala Leu Pro Leu Ser Asn Leu Tyr Glu Thr Leu Gly Val 100 105 110
- Val Gly Ser Thr Thr Thr Gln Leu Tyr Thr Asp Arg Thr Glu Lys Leu 115 120 125
- Arg Pro Glu Met Glu Gly Pro Gly Ser Phe Thr Ile Phe Ala Pro Ser 130 135 140
- Asn Glu Ala Trp Ala Ser Leu Pro Ala Glu Val Leu Asp Ser Leu Val

145 150 155 160

Ser Asn Val Asn Ile Glu Leu Leu Asn Ala Leu Arg Tyr His Met Val 165 170 175

- Gly Arg Arg Val Leu Thr Asp Glu Leu Lys His Gly Met Thr Leu Thr 180 185 190
- Ser Met Tyr Gln Asn Ser Asn Ile Gln Île His His Tyr Pro Asn Gly
  195 200 205
- Ile Val Thr Val Asn Cys Ala Arg Leu Leu Lys Ala Asp His His Ala 210 215 220
- Thr Asn Gly Val Val His Leu Ile Asp Lys Val Ile Ser Thr Ile Thr 225 230 235 240
- Asn Asn Ile Gln Gln Ile Ile Glu Ile Glu Asp Thr Phe Glu Thr Leu 245 250 255
- Arg Ala Ala Val Ala Ala Ser Gly Leu Asn Thr Met Leu Glu Gly Asn 260 265 270
- Gly Gln Tyr Thr Leu Leu Ala Pro Thr Asn Glu Ala Phe Glu Lys Ile 275 280 285
- Pro Ser Glu Thr Leu Asn Arg Ile Leu Gly Asp Pro Glu Ala Leu Arg 290 295 300
- Asp Leu Leu Asn Asn His Ile Leu Lys Ser Ala Met Cys Ala Glu Ala 305 310 315 320
- Ile Val Ala Gly Leu Ser Val Glu Thr Leu Glu Gly Thr Thr Leu Glu 325 330 335
- Val Gly Cys Ser Gly Asp Met Leu Thr Ile Asn Gly Lys Ala Ile Ile 340 345 350
- Ser Asn Lys Asp Ile Leu Ala Thr Asn Gly Val Ile His Tyr Ile Asp 355 360 365
- Glu Leu Leu Ile Pro Asp Ser Ala Lys Thr Leu Phe Glu Leu Ala Ala 370 375 380
- Glu Ser Asp Val Ser Thr Ala Ile Asp Leu Phe Arg Gln Ala Gly Leu 385 390 395 400

Gly Asn His Leu Ser Gly Ser Glu Arg Leu Thr Leu Leu Ala Pro Leu 405 410 415

- Asn Ser Val Phe Lys Asp Gly Thr Pro Pro Ile Asp Ala His Thr Arg 420 425 430
- Asn Leu Leu Arg Asn His Ile Ile Lys Asp Gln Leu Ala Ser Lys Tyr 435 440 445
- Leu Tyr His Gly Gln Thr Leu Glu Thr Leu Gly Gly Lys Lys Leu Arg 450 455 460
- Val Phe Val Tyr Arg Asn Ser Leu Cys Ile Glu Asn Ser Cys Ile Ala 465 470 475 480
- Ala His Asp Lys Arg Gly Arg Tyr Gly Thr Leu Phe Thr Met Asp Arg 485 490 495
- Val Leu Thr Pro Pro Met Gly Thr Val Met Asp Val Leu Lys Gly Asp 500 505 510
- Asn Arg Phe Ser Met Leu Val Ala Ala Ile Gln Ser Ala Gly Leu Thr 515 520 525
- Glu Thr Leu Asn Arg Glu Gly Val Tyr Thr Val Phe Ala Pro Thr Asn 530 535 540
- Glu Ala Phe Arg Ala Leu Pro Pro Arg Glu Arg Ser Arg Leu Leu Gly 545 550 555 560
- Asp Ala Lys Glu Leu Ala Asn Ile Leu Lys Tyr His Ile Gly Asp Glu 565 570 575
- Ile Leu Val Ser Gly Gly Ile Gly Ala Leu Val Arg Leu Lys Ser Leu 580 · 585 590
- Gln Gly Asp Lys Leu Glu Val Ser Leu Lys Asn Asn Val Val Ser Val
  595 600 605
- Asn Lys Glu Pro Val Ala Glu Pro Asp Ile Met Ala Thr Asn Gly Val 610 615 620
- Val His Val Ile Thr Asn Val Leu Gln Pro Pro Ala Asn Arg Pro Gln 625 630 635 640
- Glu Arg Gly Asp Glu Leu Ala Asp Ser Ala Leu Glu Ile Phe Lys Gln 645 650 655

Ala Ser Ala Phe Ser Arg Ala Ser Gln Arg Ser Val Arg Leu Ala Pro 660 665 670

Val Tyr Gln Lys Leu Leu Glu Arg Met Lys His 675 680

<210> 2

<211> 2691

<212> DNA

<213> Homo sapiens

<400> gcttgcccgt cggtcgctag ctcgctcggt gcgcgtcgtc ccgctccatg gcgctcttcg 60 tgcggctgct ggctctcgcc ctggctctgg ccctgggccc cgccgcgacc ctggcgggtc 120 cegecaagte geectaceag etggtgetge ageacageag geteegggge egecageaeg 180 gccccaacgt gtgtgctgtg cagaaggtta ttggcactaa taggaagtac ttcaccaact 240 gcaagcagtg gtaccaaagg aaaatctgtg gcaaatcaac agtcatcagc tacgagtgct 300 gtcctggata tgaaaaggtc cctggggaga agggctgtcc agcagcccta ccactctcaa 360 acctttacga gaccctggga gtcgttggat ccaccaccac tcagctgtac acggaccgca 420 cggagaagct gaggcctgag atggagggc ccggcagctt caccatcttc gcccctagca 480 acgaggeetg ggeeteettg ecagetgaag tgetggaete eetggteage aatgteaaca 540 ttgagctgct caatgccctc cgctaccata tggtgggcag gcgagtcctg actgatgagc 600 tgaaacacgg catgaccctc acctctatgt accagaattc caacatccag atccaccact 660 atcctaatgg gattgtaact gtgaactgtg cccggctcct gaaagccgac caccatgcaa 720 ccaacggggt ggtgcacctc atcgataagg tcatctccac catcaccaac aacatccagc 780 agatcattga gatcgaggac acctttgaga cccttcgggc tgctgtggct gcatcagggc 840 teaacacgat gettgaaggt aacggecagt acacgetttt ggeecegace aatgaggeet 900 tegagaagat eectagtgag actttgaace gtateetggg egaceeagaa geeetgagag 960 acctgctgaa caaccacatc ttgaagtcag ctatgtgtgc tgaagccatc gttgcggggc 1020

tgtctgtaga	gaccctggag	ggcacgacac	tggaggtggg	ctgcagcggg	gacatgctca	1080
ctatcaacgg	gaaggcgatc	atctccaata	aagacatcct	agccaccaac	ggggtgatcc	1140
actacattga	tgagctactc	atcccagact	cagccaagac	actatttgaa	ttggctgcag	1200
agtctgatgt	gtccacagcc	attgaccttt	tcagacaagc	cggcctcggc	aatcatctct	1260
ctggaagtga	gcggttgacc	ctcctggctc	ccctgaattc	tgtattcaaa	gatggaaccc	1320
ctccaattga	tgcccataca	aggaatttgc	ttcggaacca	cataattaaa	gaccagctgg	1380
cctctaagta	tctgtaccat	ggacagaccc	tggaaactct	gggcggcaaa	aaactgagag	1440
tttttgttta	tcgtaatagc	ctctgcattg	agaacagctg	catcgcggcc	cacgacaaga	1500
gggggaggta	cgggaccctg	ttcacgatgg	accgggtgct	gaccccccca	atggggactg	1560
tcatggatgt	cctgaaggga	gacaatcgct	ttagcatgct	ggtagctgcc	atccagtctg	1620
caggactgac	ggagaccctc	: aaccgggaag	gagtctacac	agtctttgct	cccacaaatg	1680
aagccttccg	g agccctgcca	ı ccaagagaac	ggagcagact	cttgggagat	gccaaggaac	1740
ttgccaacat	cctgaaatac	cacattggtg	atgaaatcct	ggttagcgga	ggcatcgggg	1800
ccctggtgcg	g gctaaagtct	ctccaaggtg	acaagctgga	agtcagctto	g aaaaacaatg	1860
tggtgagtgt	caacaaggag	g cetgttgeeg	agcctgacat	catggccaca	a aatggcgtgg	1920
tccatgtcat	t caccaatgt	t ctgcagcctc	: cagccaacag	acctcaggaa	a agaggggatg	1980
aacttgcaga	a ctctgcgct	t gagatettea	aacaagcato	agegttte	agggcttccc	2040
agaggtetg	t gcgactagc	c cctgtctate	aaaagttatt	agagaggat	g aagcattagc	2100
ttgaagcac	t acaggagga	a tgcaccacg	g cageteteeç	g ccaatttct	c tcagatttcc	2160
acagagact	g tttgaatgt	t ttcaaaacc	a agtatcacac	: tttaatgta	c atgggccgca	2220
ccataatga	g atgtgagcc	t tgtgcatgt	g ggggaggag	g gagagagat	g tactttttaa	2280
atcatgttc	c ccctaaaca	t ggctgttaa	c ccactgcate	g cagaaactt	g gatgtcactg	2340
cctgacatt	c acttccaga	g aggacctat	c ccaaatgtg	g aattgactg	c ctatgccaag	2400

PCT/KR02/01975 WO 03/089935

tccctggaaa	aggagcttca	gtattgtggg	gctcataaaa	catgaatcaa	gcaatccagc	2460
ctcatgggaa	gtcctggcac	agtttttgta	aagcccttgc	acagctggag	aaatggcatc	2520
attataagct	atgagttgaa	atgttctgtc	aaatgtgtct	cacatctaca	cgtggcttgg	2580
aggcttttat	ggggccctgt	ccaggtagaa	aagaaatggt	atgtagagct	tagatttccc	2640
tattgtgaca	gagccatggt	gtgtttgtaa	taataaaacc	aaagaaacat	a	2691

<210> 3

<211> 585

<212> PRT

<213> Homo sapiens

<220>

<221> PEPTIDE

<222> (1)..(585)

<223> 69 to 653 amino acid sequence of human ID No.1

<400>

Tyr Gln Arg Lys Ile Cys Gly Lys Ser Thr Val Ile Ser Tyr Glu Cys 10 5

Cys Pro Gly Tyr Glu Lys Val Pro Gly Glu Lys Gly Cys Pro Ala Ala 30 20

Leu Pro Leu Ser Asn Leu Tyr Glu Thr Leu Gly Val Val Gly Ser Thr 40 35

Thr Thr Gln Leu Tyr Thr Asp Arg Thr Glu Lys Leu Arg Pro Glu Met 60 55

Glu Gly Pro Gly Ser Phe Thr Ile Phe Ala Pro Ser Asn Glu Ala Trp 80 75 70

Ala Ser Leu Pro Ala Glu Val Leu Asp Ser Leu Val Ser Asn Val Asn 95 90 85

Ile Glu Leu Leu Asn Ala Leu Arg Tyr His Met Val Gly Arg Arg Val 110 105 100

Leu Thr Asp Glu Leu Lys His Gly Met Thr Leu Thr Ser Met Tyr Gln 125 120 115

- Asn Ser Asn Ile Gln Ile His His Tyr Pro Asn Gly Ile Val Thr Val 130 135 140
- Asn Cys Ala Arg Leu Leu Lys Ala Asp His His Ala Thr Asn Gly Val 145 150 155 160
- Val His Leu Ile Asp Lys Val Ile Ser Thr Ile Thr Asn Asn Ile Gln 165 170 175
- Gln Ile Ile Glu Ile Glu Asp Thr Phe Glu Thr Leu Arg Ala Ala Val 180 185 190
- Ala Ala Ser Gly Leu Asn Thr Met Leu Glu Gly Asn Gly Gln Tyr Thr 195 200 205
- Leu Leu Ala Pro Thr Asn Glu Ala Phe Glu Lys Ile Pro Ser Glu Thr 210 215 220
- Leu Asn Arg Ile Leu Gly Asp Pro Glu Ala Leu Arg Asp Leu Leu Asn 225 230 235 240
- Asn His Ile Leu Lys Ser Ala Met Cys Ala Glu Ala Ile Val Ala Gly 245 250 255
- Leu Ser Val Glu Thr Leu Glu Gly Thr Thr Leu Glu Val Gly Cys Ser 260 265 270
- Gly Asp Met Leu Thr Ile Asn Gly Lys Ala Ile Ile Ser Asn Lys Asp 275 280 285
- Ile Leu Ala Thr Asn Gly Val Ile His Tyr Ile Asp Glu Leu Leu Ile 290 295 300
- Pro Asp Ser Ala Lys Thr Leu Phe Glu Leu Ala Ala Glu Ser Asp Val 305 310 315 320
- Ser Thr Ala Ile Asp Leu Phe Arg Gln Ala Gly Leu Gly Asn His Leu 325 330 335
- Ser Gly Ser Glu Arg Leu Thr Leu Leu Ala Pro Leu Asn Ser Val Phe 340 345 350
- Lys Asp Gly Thr Pro Pro Ile Asp Ala His Thr Arg Asn Leu Leu Arg 355 360 365
- Asn His Ile Ile Lys Asp Gln Leu Ala Ser Lys Tyr Leu Tyr His Gly 370 375 380

Gln Thr Leu Glu Thr Leu Gly Gly Lys Lys Leu Arg Val Phe Val Tyr 385 390 395 400

- Arg Asn Ser Leu Cys Ile Glu Asn Ser Cys Ile Ala Ala His Asp Lys 405 410 415
- Arg Gly Arg Tyr Gly Thr Leu Phe Thr Met Asp Arg Val Leu Thr Pro 420 425 430
- Pro Met Gly Thr Val Met Asp Val Leu Lys Gly Asp Asn Arg Phe Ser 435 440 445
- Met Leu Val Ala Ala Ile Gln Ser Ala Gly Leu Thr Glu Thr Leu Asn 450 455 460
- Arg Glu Gly Val Tyr Thr Val Phe Ala Pro Thr Asn Glu Ala Phe Arg 465 470 475 480
- Ala Leu Pro Pro Arg Glu Arg Ser Arg Leu Leu Gly Asp Ala Lys Glu 485 490 495
- Leu Ala Asn Ile Leu Lys Tyr His Ile Gly Asp Glu Ile Leu Val Ser 500 505 510
- Gly Gly Ile Gly Ala Leu Val Arg Leu Lys Ser Leu Gln Gly Asp Lys 515 520 525
- Leu Glu Val Ser Leu Lys Asn Asn Val Val Ser Val Asn Lys Glu Pro 530 535 540
- Val Ala Glu Pro Asp Ile Met Ala Thr Asn Gly Val Val His Val Ile 545 550 . 555 560
- Thr Asn Val Leu Gln Pro Pro Ala Asn Arg Pro Gln Glu Arg Gly Asp 565 570 575
- Glu Leu Ala Asp Ser Ala Leu Glu Ile 580 585
- <210> 4
- <211> 1857
- <212> DNA
- <213> Mouse Intracisternal A-particle
- <400> 4

gcaggtcccg	ccaagtcacc	ctaccagctg	gtgctgcagc	atageegget	ccggggtcgc	60
cagcacggcc	ccaatgtatg	tgctgtgcag	aaggtcattg	gcaccaacaa	gaaatacttc	120
accaactgca	agcagtggta	ccagaggaag	atctgcggca	agtcgacagt	catcagttat	180
gagtgctgtc	ctggatatga	aaaggtccca	ggagagaaag	gttgcccagc	agctcttccg	240
ctctcaaatc	tgtatgagac	catgggagtt	gtgggatcga	ccaccacaca	gctgtataca	300
gaccgcacag	aaaagctgag	gcctgagatg	gagggacccg	gaagcttcac	catctttgct	360
cctagcaatg	aggcctggtc	ttccttgcct	gcggaagtgc	tggactccct	ggtgagcaac	420
gtcaacatcg	aactgctcaa	tgctctccgc	taccacatgg	tggacaggcg	ggtcctgacc	480
gatgagctca	agcacggcat	gaccctcacc	tccatgtacc	agaattccaa	catccagatc	540
catcactatc	ccaatgggat	tgtaactgtt	aactgtgccc	ggctgctgaa	ggctgaccac	600
catgcgacca	acggcgtggt	gcatctcatt	gacaaggtca	tttccaccat	caccaacaac	660
atccagcaga	tcattgaaat	cgaggacacc	tttgagacac	ttcgggccgc	cgtggctgca	720
tcaggactca	ataccgtgct	ggagggcgac	ggccagttca	cactcttggc	cccaaccaac	780
gaggcctttg	agaagatccc	tgccgagacc	ttgaaccgca	tcctgggtga	cccagaggca	840
ctgagagacc	tgctaaacaa	ccacatcctg	aagtcagcca	tgtgtgctga	ggccattgta	900
gctggaatgt	ccatggagac	cctgggggg	accacactgg	aggtgggctg	cagtggggac	960
aagctcacca	tcaacgggaa	ggctgtcatc	tccaacaaag	acatcctggo	caccaacggt	1020
gtcattcatt	tcattgatga	gctgcttato	ccagattcag	ccaagacact	gcttgagctg	1080
gctggggaat	ctgacgtctc	: cactgccatt	gacatectea	aacaagctgg	g cctcgatact	1140
catctctctg	ggaaagaaca	gttgacctto	ctggccccc	: tgaattctgt	gttcaaagat	1200
ggtgtccctc	gcatcgacgo	ccagatgaag	g actttgctto	tgaaccacat	ggtcaaagaa	1260
cagttggcct	ccaagtatct	gtactctgga	a cagacactg	g acacgctggg	g tggcaaaaag	1320
ctgcgagtct	ttgtttatcg	g aaatagccto	c tgcattgaaa	a acagctgcat	tgctgcccat	1386
		a gaccctatte	. accatooac	r ggatgttgag	accccaata	1440

gggacagtta	tggatgtcct	gaagggagac	aatcgtttta	gcatgctggt	ggccgccatc	1500
cagtctgcag	gactcatgga	gatcctcaac	cgggaagggg	tctacactgt	ttttgctccc	1560
accaatgaag	cgttccaagc	catgcctcca	gaagaactga	acaaactctt	ggcaaatgcc	1620
aaggaactta	ccaacatcct	gaagtaccac	attggtgatg	aaatcctggt	tageggagge	1680
atcggggccc	tggtgcggct	gaagtctctc	caaggggaca	aactggaagt	cagctcgaaa	1740
aacaatgtag	tgagtgtcaa	taaggagcct	gttgccgaaa	ccgacatcat	ggccacaaac	1800
ggtgtggtct	atgccatcaa	cactgttctg	cagccgccag	ccaaccgacc	acaagaa	1857

<210> 5

<211> 609

<212> PRT

<213> Mouse Intracisternal A-particle

<220>

<221> PEPTIDE

<222> (1)..(609)

<223> 23 to 641 amino acid sequence of mouse

<400> 5

Ala Gly Pro Ala Lys Ser Pro Tyr Gln Leu Val Leu Gln His Ser Arg 1 5 10 15

Leu Arg Gly Arg Gln His Gly Pro Asn Val Cys Ala Val Gln Lys Val
20 25 30

Ile Gly Thr Asn Arg Lys Tyr Phe Thr Asn Cys Lys Gln Trp Tyr Gln 35 40 45

Arg Lys Ile Cys Gly Lys Ser Thr Val Ile Ser Tyr Glu Cys Cys Pro

Gly Tyr Glu Lys Val Pro Gly Glu Lys Gly Cys Pro Ala Ala Leu Pro 65 70 75 80

Leu Ser Asn Leu Tyr Glu Thr Leu Gly Val Val Gly Ser Thr Thr Thr 85 90 95

Gln Leu Tyr Thr Asp Arg Thr Glu Lys Leu Arg Pro Glu Met Glu Gly

WO 03/089935

100 105 110

Pro Gly Ser Phe Thr Ile Phe Ala Pro Ser Asn Glu Ala Trp Ala Ser 115 120 125

PCT/KR02/01975

- Leu Pro Ala Glu Val Leu Asp Ser Leu Val Ser Asn Val Asn Ile Glu 130 135 140
- Leu Leu Asn Ala Leu Arg Tyr His Met Val Gly Arg Arg Val Leu Thr 145 150 155 160
- Asp Glu Leu Lys His Gly Met Thr Leu Thr Ser Met Tyr Gln Asn Ser 165 170 175
- Asn Ile Gln Ile His His Tyr Pro Asn Gly Ile Val Thr Val Asn Cys 180 185 190
- Ala Arg Leu Leu Lys Ala Asp His His Ala Thr Asn Gly Val Val His
  195 200 205
- Leu Ile Asp Lys Val Ile Ser Thr Ile Thr Asn Asn Ile Gln Gln Ile 210 215 220
- Ile Glu Ile Glu Asp Thr Phe Glu Thr Leu Arg Ala Ala Val Ala Ala 225 230 235 240
- Ser Gly Leu Asn Thr Met Leu Glu Gly Asn Gly Gln Tyr Thr Leu Leu 245 250 255
- Ala Pro Thr Asn Glu Ala Phe Glu Lys Ile Pro Ser Glu Thr Leu Asn 260 265 270
- Arg Ile Leu Gly Asp Pro Glu Ala Leu Arg Asp Leu Leu Asn Asn His 275 280 285
- Ile Leu Lys Ser Ala Met Cys Ala Glu Ala Ile Val Ala Gly Leu Ser 290 295 300
- Val Glu Thr Leu Glu Gly Thr Thr Leu Glu Val Gly Cys Ser Gly Asp 305 310 315 320
- Met Leu Thr Ile Asn Gly Lys Ala Ile Ile Ser Asn Lys Asp Ile Leu 325 330 335
- Ala Thr Asn Gly Val Ile His Tyr Ile Asp Glu Leu Leu Ile Pro Asp 340 345 350

Ser Ala Lys Thr Leu Phe Glu Leu Ala Ala Glu Ser Asp Val Ser Thr 355 360 365

- Ala Ile Asp Leu Phe Arg Gln Ala Gly Leu Gly Asn His Leu Ser Gly 370 375 380
- Ser Glu Arg Leu Thr Leu Leu Ala Pro Leu Asn Ser Val Phe Lys Asp 385 390 395 400
- Gly Thr Pro Pro Ile Asp Ala His Thr Arg Asn Leu Leu Arg Asn His
- Ile Ile Lys Asp Gln Leu Ala Ser Lys Tyr Leu Tyr His Gly Gln Thr 420 425 430
- Leu Glu Thr Leu Gly Gly Lys Lys Leu Arg Val Phe Val Tyr Arg Asn 435 440 445
- Ser Leu Cys Ile Glu Asn Ser Cys Ile Ala Ala His Asp Lys Arg Gly
  450 455 460
- Arg Tyr Gly Thr Leu Phe Thr Met Asp Arg Val Leu Thr Pro Pro Met 465 470 475 480
- Gly Thr Val Met Asp Val Leu Lys Gly Asp Asn Arg Phe Ser Met Leu 485 490 495
- Val Ala Ala Ile Gln Ser Ala Gly Leu Thr Glu Thr Leu Asn Arg Glu 500 505 510
- Gly Val Tyr Thr Val Phe Ala Pro Thr Asn Glu Ala Phe Arg Ala Leu 515 520 525
- Pro Pro Arg Glu Arg Ser Arg Leu Leu Gly Asp Ala Lys Glu Leu Ala 530 535 540
- Asn Ile Leu Lys Tyr His Ile Gly Asp Glu Ile Leu Val Ser Gly Gly 545 550 555 560
- Ile Gly Ala Leu Val Arg Leu Lys Ser Leu Gln Gly Asp Lys Leu Glu 565 570 575
- Val Ser Leu Lys Asn Asn Val Val Ser Val Asn Lys Glu Pro Val Ala 580 585 590
- Glu Pro Asp Ile Met Ala Thr Asn Gly Val Val His Val Ile Thr Asn 595 600 605

Val

<210> 6

<pre>&lt;212&gt; DNA &lt;213&gt; Artificial Sequence </pre> <pre>&lt;220&gt; &lt;223&gt; β ig-h3 D-IV </pre> <pre>&lt;400&gt; 6 gtttgggacc ctgttcacca tggaccggat gttgacaccc ccaatgggga cagttatgga tgtcctgaag ggagacaatc gttttagcat gctggtggcc gccatccagt ctgcaggact catggagatc ctcaaccggg aaggggtcta cactgtttt gctccacca atgaagcgtt ccaagccatg cctccagaag aactgaacaa actcttggca aatgccaagg aacttaccaa catcctgaag taccacattg gtgatgaaat cctggttagc ggaggcatcg gggccctggt</pre>	60 120 180 240 300
<pre>&lt;220&gt; &lt;223&gt; β ig-h3 D-IV  &lt;400&gt; 6 gtttgggacc ctgttcacca tggaccggat gttgacaccc ccaatgggga cagttatgga  tgtcctgaag ggagacaatc gttttagcat gctggtggcc gccatccagt ctgcaggact  catggagatc ctcaaccggg aaggggtcta cactgttttt gctccacca atgaagcgtt  ccaagccatg cctccagaag aactgaacaa actcttggca aatgccaagg aacttaccaa</pre>	120 180 240
<pre>&lt;223&gt; β ig-h3 D-IV  &lt;400&gt; 6 gtttgggacc ctgttcacca tggaccggat gttgacaccc ccaatgggga cagttatgga  tgtcctgaag ggagacaatc gttttagcat gctggtggcc gccatccagt ctgcaggact  catggagatc ctcaaccggg aaggggtcta cactgtttt gctccacca atgaagcgtt  ccaagccatg cctccagaag aactgaacaa actcttggca aatgccaagg aacttaccaa</pre>	120 180 240
<pre>&lt;223&gt; β ig-h3 D-IV  &lt;400&gt; 6 gtttgggacc ctgttcacca tggaccggat gttgacaccc ccaatgggga cagttatgga  tgtcctgaag ggagacaatc gttttagcat gctggtggcc gccatccagt ctgcaggact  catggagatc ctcaaccggg aaggggtcta cactgtttt gctccacca atgaagcgtt  ccaagccatg cctccagaag aactgaacaa actcttggca aatgccaagg aacttaccaa</pre>	120 180 240
<pre>&lt;223&gt; β ig-h3 D-IV  &lt;400&gt; 6 gtttgggacc ctgttcacca tggaccggat gttgacaccc ccaatgggga cagttatgga  tgtcctgaag ggagacaatc gttttagcat gctggtggcc gccatccagt ctgcaggact  catggagatc ctcaaccggg aaggggtcta cactgtttt gctccacca atgaagcgtt  ccaagccatg cctccagaag aactgaacaa actcttggca aatgccaagg aacttaccaa</pre>	120 180 240
<pre>&lt;400&gt; 6 gtttgggacc ctgttcacca tggaccggat gttgacaccc ccaatgggga cagttatgga  tgtcctgaag ggagacaatc gttttagcat gctggtggcc gccatccagt ctgcaggact  catggagatc ctcaaccggg aaggggtcta cactgtttt gctccacca atgaagcgtt  ccaagccatg cctccagaag aactgaacaa actcttggca aatgccaagg aacttaccaa</pre>	120 180 240
gtttgggacc ctgttcacca tggaccggat gttgacaccc ccaatgggga cagttatgga tgtcctgaag ggagacaatc gttttagcat gctggtggcc gccatccagt ctgcaggact catggagatc ctcaaccggg aaggggtcta cactgtttt gctccacca atgaagcgtt ccaagccatg cctccagaag aactgaacaa actcttggca aatgccaagg aacttaccaa	120 180 240
gtttgggacc ctgttcacca tggaccggat gttgacaccc ccaatgggga cagttatgga tgtcctgaag ggagacaatc gttttagcat gctggtggcc gccatccagt ctgcaggact catggagatc ctcaaccggg aaggggtcta cactgtttt gctccacca atgaagcgtt ccaagccatg cctccagaag aactgaacaa actcttggca aatgccaagg aacttaccaa	120 180 240
gtttgggacc ctgttcacca tggaccggat gttgacaccc ccaatgggga cagttatgga tgtcctgaag ggagacaatc gttttagcat gctggtggcc gccatccagt ctgcaggact catggagatc ctcaaccggg aaggggtcta cactgtttt gctccacca atgaagcgtt ccaagccatg cctccagaag aactgaacaa actcttggca aatgccaagg aacttaccaa	120 180 240
tgtcctgaag ggagacaatc gttttagcat gctggtggcc gccatccagt ctgcaggact catggagatc ctcaaccggg aaggggtcta cactgttttt gctcccacca atgaagcgtt ccaagccatg cctccagaag aactgaacaa actcttggca aatgccaagg aacttaccaa	180 240
catggagate etcaaceggg aaggggteta caetgttttt geteecacea atgaagegtt ccaagecatg ceteeagaag aactgaacaa aetettggea aatgeeaagg aacttaecaa	180 240
catggagate etcaaceggg aaggggteta caetgttttt geteecacea atgaagegtt ccaagecatg ceteeagaag aactgaacaa aetettggea aatgeeaagg aacttaecaa	240
ccaagccatg cctccagaag aactgaacaa actcttggca aatgccaagg aacttaccaa	240
ccaagccatg cctccagaag aactgaacaa actcttggca aatgccaagg aacttaccaa	
catcetgaag taccacattg gtgatgaaat cetggttage ggaggeateg gggeeetggt	300
catcotgaag taccacattg gtgatgaaat cotggetage ggaggeateg ggaggeateg	
The state of the s	360
gcggctgaag tctctccaag gggacaaact ggaagtcagc tcgaaaaaca atgtagtgag	
391	
tgtcaataag gagcctgttg ccgaaaccga c	
<210> 7	
<211> 140	
<212> PRT	
<213> Artificial Sequence	
<220>	
<223> β ig-h3 D-IV(1X) amino acid sequence	
<400> 7	
Leu Thr Pro Pro Met Gly Thr Val Met Asp Val Leu Lys Gly Asp Asn	
1 5 10 15	

Thr Leu Asn Arg Glu Gly Val Tyr Thr Val Phe Ala Pro Thr Asn Glu

Arg Phe Ser Met Leu Val Ala Ala Ile Gln Ser Ala Gly Leu Thr Glu

25

35 40 45

Ala Phe Arg Ala Leu Pro Pro Arg Glu Arg Ser Arg Leu Leu Gly Asp 50 55 60

Ala Lys Glu Leu Ala Asn Ile Leu Lys Tyr His Ile Gly Asp Glu Ile 65 70 75 80

Leu Val Ser Gly Gly Ile Gly Ala Leu Val Arg Leu Lys Ser Leu Gln 85 90 95

Gly Asp Lys Leu Glu Val Ser Leu Lys Asn Asn Val Val Ser Val Asn 100 105 110

Lys Glu Pro Val Ala Glu Pro Asp Ile Met Ala Thr Asn Gly Val Val 115 120 125

His Val Ile Thr Asn Val Leu Gln Pro Pro Ala Asn 130 135 140

<210> 8

<211> 280

<212> PRT

<213> Artificial Sequence

<220>

<223>  $\beta$  ig-h3 D-IV(2X) amino acid sequence

<400> 8

Leu Thr Pro Pro Met Gly Thr Val Met Asp Val Leu Lys Gly Asp Asn
1 5 10 15

Arg Phe Ser Met Leu Val Ala Ala Ile Gln Ser Ala Gly Leu Thr Glu 20 25 30

Thr Leu Asn Arg Glu Gly Val Tyr Thr Val Phe Ala Pro Thr Asn Glu 35 40 45

Ala Phe Arg Ala Leu Pro Pro Arg Glu Arg Ser Arg Leu Leu Gly Asp 50 55 60

Ala Lys Glu Leu Ala Asn Ile Leu Lys Tyr His Ile Gly Asp Glu Ile 65 70 75 80

Leu Val Ser Gly Gly Ile Gly Ala Leu Val Arg Leu Lys Ser Leu Gln

85 90 95

Gly Asp Lys Leu Glu Val Ser Leu Lys Asn Asn Val Val Ser Val Asn 100 105 110

- Lys Glu Pro Val Ala Glu Pro Asp Ile Met Ala Thr Asn Gly Val Val 115 120 125
- His Val Ile Thr Asn Val Leu Gln Pro Pro Ala Asn Leu Thr Pro Pro 130 135 140
- Met Gly Thr Val Met Asp Val Leu Lys Gly Asp Asn Arg Phe Ser Met 145 150 155 160
- Leu Val Ala Ala Ile Gln Ser Ala Gly Leu Thr Glu Thr Leu Asn Arg 165 170 175
- Glu Gly Val Tyr Thr Val Phe Ala Pro Thr Asn Glu Ala Phe Arg Ala 180 185 190
- Leu Pro Pro Arg Glu Arg Ser Arg Leu Leu Gly Asp Ala Lys Glu Leu 195 200 205
- Ala Asn Ile Leu Lys Tyr His Ile Gly Asp Glu Ile Leu Val Ser Gly 210 215 220
- Gly Ile Gly Ala Leu Val Arg Leu Lys Ser Leu Gln Gly Asp Lys Leu 225 230 235 240
- Glu Val Ser Leu Lys Asn Asn Val Val Ser Val Asn Lys Glu Pro Val 245 250 255
- Ala Glu Pro Asp Ile Met Ala Thr Asn Gly Val Val His Val Ile Thr 260 265 270
- Asn Val Leu Gln Pro Pro Ala Asn 275 280

<210> 9

<211> 420

<212> PRT

<213> Artificial Sequence

<220>

<223>  $\beta$  ig-h3 D-IV(3X) amino acid sequence

<400> 9

- Leu Thr Pro Pro Met Gly Thr Val Met Asp Val Leu Lys Gly Asp Asn
  1 5 10 15
- Arg Phe Ser Met Leu Val Ala Ala Ile Gln Ser Ala Gly Leu Thr Glu 20 . 25 30
- Thr Leu Asn Arg Glu Gly Val Tyr Thr Val Phe Ala Pro Thr Asn Glu
  35 40 45
- Ala Phe Arg Ala Leu Pro Pro Arg Glu Arg Ser Arg Leu Leu Gly Asp 50 55 60
- Ala Lys Glu Leu Ala Asn Ile Leu Lys Tyr His Ile Gly Asp Glu Ile 65 70 75 80
- Leu Val Ser Gly Gly Ile Gly Ala Leu Val Arg Leu Lys Ser Leu Gln 85 90 95
- Gly Asp Lys Leu Glu Val Ser Leu Lys Asn Asn Val Val Ser Val Asn 100 105 110
- Lys Glu Pro Val Ala Glu Pro Asp Ile Met Ala Thr Asn Gly Val Val 115 120 125
- His Val Ile Thr Asn Val Leu Gln Pro Pro Ala Asn Leu Thr Pro Pro 130 135 140
- Met Gly Thr Val Met Asp Val Leu Lys Gly Asp Asn Arg Phe Ser Met 145 150 155 160
- Leu Val Ala Ala Ile Gln Ser Ala Gly Leu Thr Glu Thr Leu Asn Arg 165 170 175
- Glu Gly Val Tyr Thr Val Phe Ala Pro Thr Asn Glu Ala Phe Arg Ala 180 185 190
- Leu Pro Pro Arg Glu Arg Ser Arg Leu Leu Gly Asp Ala Lys Glu Leu 195 200 205
- Ala Asn Ile Leu Lys Tyr His Ile Gly Asp Glu Ile Leu Val Ser Gly 210 215 220
- Gly Ile Gly Ala Leu Val Arg Leu Lys Ser Leu Gln Gly Asp Lys Leu 225 230 235 240

Glu Val Ser Leu Lys Asn Asn Val Val Ser Val Asn Lys Glu Pro Val 245 250 255

- Ala Glu Pro Asp Ile Met Ala Thr Asn Gly Val Val His Val Ile Thr 260 265 270
- Asn Val Leu Gln Pro Pro Ala Asn Leu Thr Pro Pro Met Gly Thr Val 275 280 285
- Met Asp Val Leu Lys Gly Asp Asn Arg Phe Ser Met Leu Val Ala Ala'
  290 295 300
- Ile Gln Ser Ala Gly Leu Thr Glu Thr Leu Asn Arg Glu Gly Val Tyr 305 310 315 320
- Thr Val Phe Ala Pro Thr Asn Glu Ala Phe Arg Ala Leu Pro Pro Arg 325 330 335
- Glu Arg Ser Arg Leu Leu Gly Asp Ala Lys Glu Leu Ala Asn Ile Leu 340 345 350
- Lys Tyr His Ile Gly Asp Glu Ile Leu Val Ser Gly Gly Ile Gly Ala .355 360 365
- Leu Val Arg Leu Lys Ser Leu Gln Gly Asp Lys Leu Glu Val Ser Leu 370 375 380
- Lys Asn Asn Val Val Ser Val Asn Lys Glu Pro Val Ala Glu Pro Asp 385 390 395 400
- Ile Met Ala Thr Asn Gly Val Val His Val Ile Thr Asn Val Leu Gln
  405 410 415

Pro Pro Ala Asn 420

<210> 10

<211> 560

<212> PRT

<213> Artificial Sequence

<220>

<223> β ig-h3 D-IV(4X) amino acid sequence

<400> 10

Leu Thr Pro Pro Met Gly Thr Val Met Asp Val Leu Lys Gly Asp Asn
1 5 10 15

- Arg Phe Ser Met Leu Val Ala Ala Ile Gln Ser Ala Gly Leu Thr Glu 20 25 30
- Thr Leu Asn Arg Glu Gly Val Tyr Thr Val Phe Ala Pro Thr Asn Glu 35 40 45
- Ala Phe Arg Ala Leu Pro Pro Arg Glu Arg Ser Arg Leu Leu Gly Asp 50 55 60
- Ala Lys Glu Leu Ala Asn Ile Leu Lys Tyr His Ile Gly Asp Glu Ile 65 70 75 80
- Leu Val Ser Gly Gly Ile Gly Ala Leu Val Arg Leu Lys Ser Leu Gln 85 90 95
- Gly Asp Lys Leu Glu Val Ser Leu Lys Asn Asn Val Val Ser Val Asn 100 105 110
- Lys Glu Pro Val Ala Glu Pro Asp Ile Met Ala Thr Asn Gly Val Val 115 120 125
- His Val Ile Thr Asn Val Leu Gln Pro Pro Ala Asn Leu Thr Pro Pro 130 135 140
- Met Gly Thr Val Met Asp Val Leu Lys Gly Asp Asn Arg Phe Ser Met 145 150 155 160
- Leu Val Ala Ala Ile Gln Ser Ala Gly Leu Thr Glu Thr Leu Asn Arg 165 170 175
- Glu Gly Val Tyr Thr Val Phe Ala Pro Thr Asn Glu Ala Phe Arg Ala 180 185 190
- Leu Pro Pro Arg Glu Arg Ser Arg Leu Leu Gly Asp Ala Lys Glu Leu 195 200 205
- Ala Asn Ile Leu Lys Tyr His Ile Gly Asp Glu Ile Leu Val Ser Gly . 210 215 220
- Gly Ile Gly Ala Leu Val Arg Leu Lys Ser Leu Gln Gly Asp Lys Leu 225 230 235 240
- Glu Val Ser Leu Lys Asn Asn Val Val Ser Val Asn Lys Glu Pro Val 245 250 255

Ala Glu Pro Asp Ile Met Ala Thr Asn Gly Val Val His Val Ile Thr 260 265 270

- Asn Val Leu Gln Pro Pro Ala Asn Leu Thr Pro Pro Met Gly Thr Val 275 280 285
- Met Asp Val Leu Lys Gly Asp Asn Arg Phe Ser Met Leu Val Ala Ala 290 295 300
- Ile Gln Ser Ala Gly Leu Thr Glu Thr Leu Asn Arg Glu Gly Val Tyr 305 310 315 320
- Thr Val Phe Ala Pro Thr Asn Glu Ala Phe Arg Ala Leu Pro Pro Arg 325 330 335
- Glu Arg Ser Arg Leu Leu Gly Asp Ala Lys Glu Leu Ala Asn Ile Leu 340 . 345 350
- Lys Tyr His Ile Gly Asp Glu Ile Leu Val Ser Gly Gly Ile Gly Ala 355 360 365
- Leu Val Arg Leu Lys Ser Leu Gln Gly Asp Lys Leu Glu Val Ser Leu 370 375 380
- Lys Asn Asn Val Val Ser Val Asn Lys Glu Pro Val Ala Glu Pro Asp 385 390 395 400
- Ile Met Ala Thr Asn Gly Val Val His Val Ile Thr Asn Val Leu Gln
  405 410 415
- Pro Pro Ala Asn Leu Thr Pro Pro Met Gly Thr Val Met Asp Val Leu 420 425 430
- Lys Gly Asp Asn Arg Phe Ser Met Leu Val Ala Ala Ile Gln Ser Ala 435 440 445
- Gly Leu Thr Glu Thr Leu Asn Arg Glu Gly Val Tyr Thr Val Phe Ala 450 455 460
- Pro Thr Asn Glu Ala Phe Arg Ala Leu Pro Pro Arg Glu Arg Ser Arg 465 470 475 480
- Leu Leu Gly Asp Ala Lys Glu Leu Ala Asn Ile Leu Lys Tyr His Ile 485 490 495
- Gly Asp Glu Ile Leu Val Ser Gly Gly Ile Gly Ala Leu Val Arg Leu

500 505 510

Lys Ser Leu Gln Gly Asp Lys Leu Glu Val Ser Leu Lys Asn Asn Val 515 520 525

Val Ser Val Asn Lys Glu Pro Val Ala Glu Pro Asp Ile Met Ala Thr 530 535 540

Asn Gly Val Val His Val Ile Thr Asn Val Leu Gln Pro Pro Ala Asn 545 550 555 560

## INTERNATIONAL SEARCH REPORT

international application No. PCT/KR02/01975

	ICATION OF	

IPC7 G01N 33/68

According to International Patent Classification (IPC) or to both national classification and IPC

## FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC7 G01N 33/53, C07K 15/00, C12N 15/09, A61K 9/06

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Korean Patents and applications for inventions since 1975, Korean Utility models and application for Utility models since 1975. Japanese Utility models and applications for Utility models since 1975.

Electronic data base consulted during the intertnational search (name of data base and, where practicable, search terms used) NCBI, MEDLINE, eKIPASS

## DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 96/01102 A (Advanced Tissue Sciences) 18. 01. 1996 - see the whole document -	1-16
Y	EP 555,989 A (Purchio, Anthony F) 18. 08.1993 - example 1, 2	1-16
Y	US 5,714,588 A (Advanced Tissue Sciences) 03. 02. 1998 - see the whole document -	1-16
Y	US 5,444,164 A (Bristol-Myers Squibb Company) 22.88. 1995 - see the abstract, example -	1-16
Y	US 5,599,788 A (Advanced Tissue Sciences) 04. 02. 1997 -see the whole document -	1-16
Furth	er documents are listed in the continuation of Box C.  See patent family annex.	

* "A"	Special categories of cited documents: document defining the general state of the art which is not considered	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand
	to be of particular relevance		the principle or theory underlying the invention
"E"	earlier application or patent but published on or after the international filing date	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive
"L"	document which may throw doubts on priority claim(s) or which is		step when the document is taken alone
	cited to establish the publication date of citation or other special reason (as specified)	<b>"Y"</b>	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is
"O"	document referring to an oral disclosure, use, exhibition or other means		combined with one or more other such documents, such combination being obvious to a person skilled in the art
"P"	document published prior to the International filing date but later than the priority date claimed	<b>"&amp;</b> "	document member of the same patent family
Date	of the actual completion of the international search	Date	of mailing of the international search report
	27 FEBRUARY 2003 (27.02.2003)		27 FEBRUARY 2003 (27.02.2003)
Nar	ne and mailing address of the ISA/KR	Aut	horized officer
	Korean Intellectual Property Office		JOO. Young Sik

Telephone No. 82-42-481-5995

Facsimile No. 82-42-472-7140

Republic of Korea